



► *We Work For Animal*



LANOVA TRADE (HEBEI) CO.,LTD

Add: Room 1516, Block B, Century centre Building, NO 363, Tiyu

South Street, Shijiazhuang, Hebei, China

Tel: 0086-311-69025506

Fax: 0086-311-83078840


Email: info@lanovatech.com , lanova@foxmail.com

Web: www.farmingmate.com www.lanovatech.com

AGRICULTURE AND LIVE STOCK MESH

LANOVA TRADE (HEBEI) CO.,LTD

SINCE 2006



ABOUT US

LANOVA TRADE (HEBEI)CO.,LTD HAS BEEN A PROFESSIONAL SUPPLIER IN WIRE PRODUCTS MANY YEARS. GALVANIZED WIRE, PVC COATED WIRE, BLACK WIRE AND KINDS OF MESHES ARE MAIN PRODUCTS. WE HAVE A LARGE-SCALE MODERNIZED FACTORY, PROFESSIONAL TEAM, SCIENTIFIC MANAGEMENT SYSTEM, ALL OF WHICH HAVE GUARANTEED US THE LEADING POSITION IN WIRE BUSINESS FIELD, AND OUR PRODUCTS ARE SOLD WELL IN AMERICA, EUROPE AND AUSTRALIA.

LANOVA RELIES ON ENTERPRISE SPIRIT THAT "FOCUS, PROFESSIONAL, INNOVATION, CUSTOMER FIRST, SUSTAINABLE DEVELOPMENT." WE INSIST THAT "HIGH QUALITY IS COMPANY'S GREATEST REPAYMENT; SATISFACTION OF CUSTOMER IS ULTIMATE AIM OF COMPANY". WE DEVOTE TO HELP OUR CUSTOMERS TO BE THE BEST IN THEIR OWN MARKET WITH OUR MOST COMPETITIVE PRODUCTS AND BEST SERVICE.

LANOVA IS PROUD OF ITS YOUNG WELL TRAINED TEAM, THAT IS FULL OF AMBITION, AND CREATIVITY, AND WE CORDIALLY WELCOME IN AND ABROAD CUSTOMERS TO CONSULT BUSINESS WITH US FOR JOINT DEVELOPMENT.

CONTENTS

01.AGRICULTURAL MESH.....	01-07
02.POULTRY HUSBANDRY MESH.....	08-10
03.AQUA CULTURE MESH	
MARINE TRAP MESH.....	11-13
04.FARM AND AGRICULTURE FENCE.....	14-20




AGRICULTURAL MESH

PLASTIC HEX MESH.....	02
PLASTIC SQUARE MESH.....	02
PLASTIC MULTI MESH.....	03
STEEL HEX MESH.....	03
STAINLESS STEEL ROPE MESH.....	05
STEEL WELDED MESH.....	07

PLASTIC HEX MESH



ITEM	MESH SIZE (MM)	WEIGHT	SIZE
LAHEX300-1515	15×15	300	1M×50M
LAHEX400-1010	10×10	400	0.5M×3M
LAHEX300-1515E	15×15	300	1M×50M



PLASTIC SQUARE MESH

ITEM	MESH SIZE (MM)	WEIGHT	SIZE
LASQ360-0303	3X3	360	1MX25M 1MX3M
LASQ300-0606	6X6	300	
LASQ390-0606		390	
LASQ220-1010	10X10	220	
LASQ390-1010		390	
LASQ430-1515	15X15	430	
LASQ300-2020	20X20	300	
LASQ390-2020		390	
LASQ350-2525	25X25	350	
LASQ350-4040	40X40	350	
LASQ320-5050	50X50	320	
LASQ250-5555	55X55	250	
LASQ390-1010E	10X10	390	
LASQ390-1515E	15X15	390	
LASQ390-2525E	25X25	390	



PLASTIC MULTI-USE MESH



ITEM	MESH SIZE(MM)	WEIGHT(G/M ²)	SIZE
LABOP07-0606	6×6	6	2.0×1000M
LABOP05-0808	8×8	5.38	
LABOP10-0808	8×8	10	
LABOP30-0808	8×8	30	
LABOP10-2017	20×17	10	7'×100'
LABOP35-1212	12×12	35	2.0×200M
LABOP40-1212	12×12	40	1.0×200M
LABOP10-2020	20×20	10	
LABOP15-2020	20×20	15	
LABOP25-1919	19×19	25	



STEEL HEX MESH

HEXAGONAL WIRE NETTINGS PRODUCED WITH SUPERIOR QUALITY LOW-CARBON IRON WIRE,NORMALLY GALVANIZED PLASTIC COATED FOR LONG LIFE,THE MESH IS FIRM IN STRUCTURE AND HAS FLAT SURFACE.HEXAGONAL WIRE NETTING IS EXTENSIVELY USED IN INDUSTRIAL AND AGRICULTURAL CONSTRUCTIONS.ALSO IT CAN BE USED AS FENCE FOR POULTRY CAGE. FISHING,GARDEN,CHILDREN PLAYGROUND AND CHRISTMAS DECORATIONS.



HEX.WIRE NETTING IN NORMAL TWIST (IN 5M,10M,25M,30M,100M,TO 3000M ROLL,WIDTH OF 0.5M-2.0M)		
MESH		WIRE GAUGE
INCH	MM	(BWG)
3/8"	10MM	27, 26, 25, 24, 23, 22, 21
1/2"	13MM	27, 26, 25, 24, 23, 22, 21, 20
5/8"	16MM	27, 26, 25, 24, 23, 22
3/4"	20MM	25, 24, 23, 22, 21, 20, 19
1"	25MM	25, 24, 23, 22, 21, 20, 19, 18
1-1/4"	30MM	22, 21, 20, 19, 18
1-1/2"	40MM	22, 21, 20, 19, 18, 17
2"	50MM	22, 21, 20, 19, 18, 17, 16, 15, 14
3"	75MM	21, 20, 19, 18, 17, 16, 15, 14
4"	100MM	17, 16, 15, 14



HEX.WIRE NETTING IN REVERSE TWIST (IN 5M,10M,25M,30M,100M,TO 3000M ROLL,WIDTH OF 0.5M-2.0M)		
MESH		WIRE GAUGE
INCH	MM	(BWG)
1"	25MM	22, 21, 20, 19, 18
1-1/4"	30MM	22, 21, 20, 19, 18
1-1/2"	40MM	20, 19, 18,17
2"	50MM	20, 19, 18,17,16
3"	75MM	20, 19, 18,17,16

HEX.WIRE NETTING IN PVC-COATED (IN LENGTH OF 5M,10M,25M,30M,WIDTH OF 0.5M,1.0M,1.2M,1.5M)		
MESH		WIRE GAUGE
INCH	MM	(MM)
1/2"	13	0.9,1.0
5/8"	16	0.9,1.0
3/4"	19	0.9,1.0
1"	25	1.0,1.2,1.4
1-1/2"	40	1.0,1.2,1.4,1.6
2"	50	1.0,1.2,1.4,1.6,2.0

AVAILABLE

- GALVANIZED BEFORE WEAVING
- GALVANIZED AFTER WEAVING
- PVC-COATED
- STAINLESS STEEL




- PACKING:
IN ROLL WRAPPED BY WATER-PROOF ,OR SHRINK WRAPPED.

- REMARK:
SIZES OTHER THAN THOSE ABOVE-MENTIONED MAY BE MADE TO ORDER AFTER CONSIDERATION.
COMMON CARTON:IT CAN PROTECT THE INNER GOODS AND EASY TO HANDLE, TRANSPORT AND STOCK.

STAINLESS STEEL ROPE MESH

FLEXIBLE STAINLESS STEEL CABLE MESH (INTER-WOVEN TYPE)

- OUR FLEXIBLE STAINLESS STEEL CABLE MESH PRODUCTS ARE SUPPLIED IN TWO MAIN SERIES: INTER-WOVEN AND FERRULE TYPE. INTER-WOVEN MESH ARE HAND-WOVEN WHICH WAS ALSO CALLED HAND-WOVEN MESH IS MADE FROM FINE S.S.WIRE ROPE THE ROPE CONSTRUCTION IS 7 X 7 OR 7 X 19 AND MADE FROM AISI 304 OR AISI 316 MATERIAL GROUP. THIS MESH HAS STRONG TENSILE STRENGTH, HIGH FLEXIBILITY, HIGH TRANSPARENCE AND WIDE SPAN. THE FLEXIBLE S.S. CABLE MESH HAS UNREPLACABLE ADVANTAGES COMPARED WITH OTHER MESH PRODUCTS IN MANY ASPECTS LIKE PRACTICABILITY, SECURITY, AESTHETIC PROPERTY AND DURABILITY ETC. ITS MORE AND MORE APPRECIATED BY GARDEN DESIGNERS AND ARCHITECT ALL OVER THE WORLD.




THE SPECIFICATION OF STAINLESS STEEL KNOTTED ROPE MESH

CODE	ROPE CONSTRUCTION	ROPE DIAMETER		OPENING SIZE		BREAKING FORCE
		INCH	MM	INCH	MM	
BR-01	7 × 19	1/8	3.2	4.7" × 4.7"	120 × 120	7.38
BR-02	7 × 19	1/8	3.2	4" × 4"	102 × 102	7.38
BR-03	7 × 19	1/8	3.2	3.6" × 3.6"	90 × 90	7.38
BR-04	7 × 19	1/8	3.2	3" × 3"	76 × 76	7.38
BR-05	7 × 19	1/8	3.2	2" × 2"	51 × 51	7.38
BR-06	7 × 7	3/32	2.4	4" × 4"	102 × 102	4.18
BR-07	7 × 7	3/32	2.4	3.6" × 3.6"	90 × 90	4.18
BR-08	7 × 7	3/32	2.4	3" × 3"	76 × 76	4.18
BR-09	7 × 7	3/32	2.4	2.4" × 2.4"	60 × 60	4.18
BR-10	7 × 7	3/32	2.4	2" × 2"	51 × 51	4.18
BR-11	7 × 7	5/64	2	3" × 3"	76 × 76	3.17
BR-12	7 × 7	5/64	2	2.4" × 2.4"	60 × 60	3.17
BR-13	7 × 7	5/64	2	2" × 2"	51 × 51	3.17
BR-14	7 × 7	5/64	2	1.5" × 1.5"	38 × 38	3.17
BR-15	7 × 7	1/16	1.6	3" × 3"	76 × 76	2.17
BR-16	7 × 7	1/16	1.6	2" × 2"	51 × 51	2.17
BR-17	7 × 7	1/16	1.6	1.5" × 1.5"	38 × 38	2.17
BR-18	7 × 7	1/16	1.6	1.2" × 1.2"	30 × 30	2.17
BR-19	7 × 7	1/16	1.6	1" × 1"	25 × 25	2.17
BR-20	7 × 7	3/64	1.2	2" × 2"	51 × 51	1.22
BR-21	7 × 7	3/64	1.2	1.5" × 1.5"	38 × 38	1.22
BR-22	7 × 7	3/64	1.2	1.2" × 1.2"	30 × 30	1.22
BR-23	7 × 7	3/64	1.2	1" × 1"	25 × 25	1.22
BR-24	7 × 7	3/64	1.2	0.8" × 0.8"	20 × 20	1.22



FLEXIBLE STAINLESS STEEL CABLE MESH (FERRULE TYPE)



- OUR FLEXIBLE STAINLESS STEEL CABLE MESH ARE SUPPLIED IN TWO MAIN SERIES: INTER-WOVEN AND FERRULE. OUR MESH IS MADE FROM S.S.WIRE ROPE IN VARIOUS MATERIAL TYPE LIKE SUS304, SUS304L, SUS316, SUS316L ETC AND TWO MAIN STRAND STRUCTURES: 7*7 AND 7*19. CABLE DIA. 1MM-4MM AND MESH SIZE: 20MM-160MM. THE FERRULE TYPE SERIES ARE SUB-DIVIDED INTO ALUMINUM ALLOY MESH, STAINLESS STEEL, TINNED COPPER AND NICKLED COPPER MESH BY THE MATERIAL OF THE FERRULE. THE FERRULE TYPE MESH, ARE MORE USED IN FIELDS LIKE BALUSTRADES ON BRIDGES AND STAIRCASES, LARGE BARRIER FENCES, AND BUILDING FACADE TRELLIS SYSTEMS. AS AN EMERGING PRODUCT ON ARCHITECTURAL DECORATION AND PROTECTION, STAINLESS STEEL ROPE MESH HAS PROVIDED THE MODERN ARCHITECTURAL DECORATION AND HORTICULTURE ENGINEERING WITH A NEW AND STYLISH ELEMENT, WHICH ARE GETTING MORE AND MORE APPRECIATED BY DESIGNERS AND CLIENTS ALL OVER THE WORLD.



THE SPECIFICATION OF STAINLESS STEEL FERRULE ROPE MESH

CODE	ROPE CONSTRUCTION	ROPE DIAMETER		APERTURE	BREAKING FORCE
		INCH	MM		
BR-01	7 × 19	1/8	3.2	120 × 208	7.38
BR-02	7 × 19	1/8	3.2	100 × 173	7.38
BR-03	7 × 19	1/8	3.2	90 × 156	7.38
BR-04	7 × 7	3/32	2.4	100 × 173	4.18
BR-05	7 × 7	3/32	2.4	90 × 156	4.18
BR-06	7 × 7	3/32	2.4	80 × 139	4.18
BR-07	7 × 7	3/32	2.4	70 × 121	4.18
BR-08	7 × 7	5/64	2.0	100 × 173	3.17
BR-09	7 × 7	5/64	2.0	90 × 156	3.17
BR-10	7 × 7	5/64	2.0	80 × 139	3.17
BR-11	7 × 7	5/64	2.0	70 × 121	3.17
BR-12	7 × 7	1/16	1.6	80 × 139	2.17
BR-13	7 × 7	1/16	1.6	70 × 121	2.17
BR-14	7 × 7	1/16	1.6	60 × 104	2.17
BR-15	7 × 7	1/16	1.6	51 × 87	2.17
BR-16	7 × 7	3/64	1.2	80 × 139	1.22
BR-17	7 × 7	3/64	1.2	60 × 104	1.22
BR-18	7 × 7	3/64	1.2	50 × 87	1.22
BR-19	7 × 7	3/64	1.2	40 × 69	1.2

- WE CAN INFINITELY CUSTOMIZABLE TO MEET YOUR EXHIBITS EXACT SPECIFICATIONS, NO MATTER HOW LARGE, HOW SMALL, OR HOW CUNNING YOUR SPECIMENS ARE, WE ASSURE THEIR COMPLETE SECURITY. CABLE MESH DIRECTION:



MORE ACCESSORIES YOU CAN CHOOSE:



STEEL WELDED MESH


WELDED WIRE MESH IS MADE OF HIGH QUALITY IRON WIRE THROUGH AUTOMATIC PROCESS AND SOPHISTICATED WELDING TECHNIQUE, LAID HORIZONTALLY AND VERTICALLY, INDIVIDUALLY WELDED AT EVERY INTERSECTION. THE END PRODUCTS IS LEVEL AND FLAT WITH STURDY STRUCTURE. WELDED WIRE MESH IS EXTENSIVELY USED IN INDUSTRY AND AGRICULTURE, BUILDING, TRANSPORTATION AND MINING FOR ALL SUCH PURPOSES AS POULTRY HOUSES, EGG BASKETS, RUNWAY ENCLOSURES, DRAINING RACK, FRUIT DRYING SCREEN, FENCE. FOR FINISH, WE CAN SUPPLY THE FOLLOWING KINDS:

- HOT-DIPPED GALVANISED AFTER WELDING
- HOT-DIPPED GALVANISED BEFORE WELDING
- ELECTRIC-GALVANISED AFTER WELDING
- ELECTRIC-GALVANISED BEFORE WELDING
- PVC-COATED
- IN STAINLESS STEEL

STANDARD MESH IN ROLL OF 5M-45M LONG AND 0.5M-1.8M WIDE		
MESH		WIRE GAUGE
INCH	MM	(BWG)
1/4"X1/4"	6.4x6.4	22, 23, 24, 25
3/8"X3/8"	10.6x10.6	19, 20, 21, 22
1/2"X1/2"	12.7x12.7	16, 17, 18, 19, 20, 21, 22, 23, 24
5/8"X5/8"	16x16	18, 19, 20, 21
3/4"X3/4"	19.1x19.1	16, 17, 18, 19, 20, 21
1"X1"	25.4x25.4	14, 15, 16, 17, 18, 19, 20
1-1/2"X1-1/2"	38x38	14, 15, 16, 17, 18, 19
1"X1/2"	25.4x12.7	16, 17, 18, 19, 20, 21
1"X2"	25.4x50.8	14, 15, 16, 17, 18, 19
2"X2"	50.8x50.8	12, 14, 15, 16, 17, 18
3"X2"	75x50	12, 14, 16
3"X3"	75x75	16, 17, 18
4"X2"	100x50	12, 14, 16
4"X3"	100x75	12, 14, 16
4"X4"	100x100	12, 14, 16
6"X6"	150x150	12, 14, 16

PACKING:

- EACH ROLL PACKED BY WATER PROOF PAPER
 - EACH ROLL SHRINK WRAPPED
- OTHER PACKING METHOD MAY BE ACCEPTED AFTER CONFIRMATION
OTHER SIZES BE PRODUCED AFTER CONFIRMATION



POULTRY HUSBANDRY MESH


POULTRY CAGE MESH.....09

CAGE TOOLS.....10



POULTRY CAGE MESH




- THE POULTRY CAGE MESH IS POLULAR TO USE IN THE POULTRY EGG SYSTEM HOUSE BUILD AND POULTRY GROW SYSTEM BUILD.
- WE HAVE SPECIALIZED WELDED MACHINE TO PRODUCE IRREGULARLY MESH AS REQUEST. AND CAN GIVE THE GOOD SOLUTIONS FOR CUSTOMER.
- ALL THE MESH ARE MADE OF ALUMINUM-ZINC WIRE, IT IS 3-4 TIMES ANTI-CORROSIVE THAN THE HOT GALVANIZED ONES. AND THE SURFACE PROCESSING CAN BE RAL COLOR COATED AS CUSTOMER REQUEST.



EGG MESH



FLOOR MESH



FRONT MESH



CAGE TOOLS

TYPE 1




TYPE 2



PLASTIC OYSTER MESH

- THE OYSTER MESH IS MAINLY USED IN THE GROWTH PERIOD OF OYSTER, IT CAN PROTECT THE OYSTERS FROM PREDATORS AND BIRDS;
- IT CAN GATHER THE OYSTERS TOGETHER AND RAISE THE PRODUCTION OF OYSTERS; IT ALSO CAN BE USED AS SPAT NETTING TO BREED OYSTER SPAT.



- MATERIAL: 100%HDPE(POLYETHYLENE), PP, LDPE
- STRUCTURE: DIAMOND HOLE, SQUARE HOLE
- OPENING: 2MMX2MM-25MMX25MM
- COLOR: BLACK, GREEN, WHITE, ORANGE ETC
- THICKNESS: 3MM-8MM
- WIDTH: STANDARD WIDTH IS 0.4M, 0.5M, ANY WIDTH AVAILABLE AT REQUIREMENT.
- ROLL LENGTH: 10M, 20M, 25M, 50M ETC, ANY LENGTH AVAILABLE AT REQUIREMENT.
- WEIGHT: 360G/M²-900G/M²


WEIGHT(G)/M ²	SIZE LENGTH×WIDTH(MM)	MESH SIZE(MM)
360	100×40	2/3
550	100×50	3/4/6/9/13/14/18/23
700	100×50	4/6/9/13/14/18
850	100×50	9/18



AQUA CULTURE MESH MARINE TRAP MESH

OYSTER MESH.....	12
LOBSTER AND CRAB MESH.....	13
FISH FARMING NET.....	13

LOBSTER AND CRAB MESH



ITEM	SIZE
LALCM001	1" x 1/2" x 16G
LALCM002	1" x 1" x 12G
LALCM003	1" x 1" x 14G
LALCM004	1-1/2" x 1-1/2" x 12G
LALCM005	1-1/2" x 1-1/2" x 14G
LALCM006	2" x 2" x 12G
LALCM007	2" x 2" x 14G



FARM AND AGRICULTURE FENCE

FISH FARMING NET




STEEL HOT DIP GALVANIZED HEX
FISHING MESH



1-1/4"X18G X 3'X100'
1-1/2"X17G X 3'X100'

- IT MADE BY HIGH QUALITY LOW CARBON STEEL WIRE, AND THEN HEAVY GALVANIZED .

PVC COATED STEEL HEX FISHING NET




1-1/4"X18G X 3'X100'
1-1/2"X17G X 3'X100'

- IT MADE BY HIGH QUALITY GALVANIZED LOW CARBON STEEL WIRE, AND THEN PVC COATED

WELDED FENCE	15
DOG FENCE.....	15
CATTLE FENCE.....	16
RABBIT FENCE.....	16
BARBED WIRE.....	17
FENCE WIRE.....	18
WOODEN REEL WIRE.....	19
VINEYARD WIRE.....	19
FENCE STAPLE.....	20

WELDED FENCE




- GALVANIZED WELDED FENCE
- IT IS MADE OF HOT DIP GALVANIZED WIRE, THE ZINC COATING CAN BE 60G/M² OR 240G/M²
- 25METERS ROLL,
- EACH ROLL PLASTIC SHRINK

MESH	DIAMETER
100X50	1.8MM
150X50	1.9MM
100X75	2.0MM
75X50	2.4MM
	2.5MM



CATTLE FENCE

- CATTLE FENCE IS SUITABLE FOR BORDERS IN FIELDS AND GRASSLAND FOR BREEDING OF DEER, CATTLE AND OTHER ANIMALS.
- EDGE WIRE 2.4MM,INSIDE WIRE 1.90MM
- HORIZONTAL WIRE 700-800MPA
- VERTICAL WIRE 400-500MPA
- TWO HORIZON WIRE DISTANCE 300MM IS ALSO AVAILABLE



RABBIT FENCE

- SPECIALLY DESIGNED FOR PROTECTION FOR RABBIT,DOG AND OTHER SMALL ANIMALS.
- HORIZONTAL WIRE SPACINGS GET SMALLER TOWARDS THE GROUND.
- GALVANIZED FOR DURABILITY OR POLY-COATING OVER GALVANIZED WIRE FOR SUPERIOR DURABILITY.
- SHRINK WRAPPED FOR PROTECTION.

DESCRIPTION	PACKING
GALVANIZED RABBIT FENCE. 24"X50"	IN ROLL
GALVANIZED RABBIT FENCE. 28"X50"	IN ROLL
GALVANIZED RABBIT FENCE. 40"X50"	IN ROLL



DOG FENCE

DESCRIPTION	PACKING
GALVANIZED DOG FENCE. 1200MMX30M	IN ROLL
GALVANIZED DOG FENCE. 1200MMX10M	IN ROLL
GALVANIZED DOG FENCE. 1800MMX30M	IN ROLL

- REMARK:PVC-COATED ALSO AVAILABLE



BARBED WIRE



- WIRE MATERIALS: GALVANIZED STEEL WIRE, PVC COATED WIRE.
- GENERAL USE: BARBED WIRE IS MAINLY USED IN PROTECTING GRASS BOUNDARY, RAILWAY, AND HIGHWAY, ETC.



IOWA TYPE



MOTTO TYPE



TYPE	WIRE GAUGE		BARB DISTANCE	BARB LENGTH
ELECTRO GALVANIZED	BWG10 X BWG12		7.5-15CM	1.5-3CM
	BWG12 X BWG12			
	BWG14 X BWG14			
HOT-DIP GALVANIZED	BWG16 X BWG16			
	BWG17 X BWG17			
PVC COATED	BEFORE COATED	AFTER COATED	7.5-15CM	1.5-3CM
PE COATED	1.0MM-3.5MM	1.4MM-4.0MM		
	BWG11-20	BWG8-17		
PVC PE COATING THICKNESS: 0.4MM-0.6MM; DIFFERENT COLORS OR LENGTH ARE AVAILABLE AT CUSTOMERS' REQUEST.				

- PACKING: BULK OR ON PALLET
- THE OTHER SIZE MAY BE AVAILABLE BY CUSTOMERS' REQUEST.

FENCE WIRE



GALVANIZED STEEL WIRE

- HOT DIPPED GALVANIZED STEEL WIRE, 17GA, 14 GA. IN DIAMETER
- TENSILE STRENGTH 380 - 480 MPA, ZINC COATING HIGHER THAN 70 G/M²
- LENGTH 200' PER SPOOL

ALU-ZINC STEEL WIRE

- ALU-ZN COATED WIRE FOR RUST RESISTANCE IN CORROSIVE CONDITION
- SUPERIOR COATING FOR CONDUCTIVITY OF ELECTRICITY
- 12.5 GAUGE OR OTHER SIZES, LENGTH PER SPOOL 1,000'
- HIGH TENSILE 180,000 PSI



ELECTRO STEEL FENCE WIRE

- 17 GA 19GA IN DIAMETER
- TENSILE STRENGTH 260 - 540 MPA
- LENGTH 350', 1320' (1/4 MILE), 2640' (1/2 MILE) PER SPOOL



WOODEN REEL WIRE

- IT'S MADE OF HIGH TENSILE HEAVY GALVANIZED WIRE



- TENSILE STRENGTH : 1400-1500MPa, ZINC COATING : 240G/M2
14G X 100Lbs
12G X 100Lbs
- OTHER SIZE AND SPECIFICATION WE CAN MAKE BY CUSTOMERS' REQUEST

VINEYARD WIRE

- THE GALVANIZED WIRE IS USED FOR CATTLE FARM CONSTRUCTION AND VINEYARD BUILD IN HIGH TENSILE,OR NORMAL TENSILE.



DIMENSION (MM)	METERS PER ROLL (M)
2.20	1000
2.40	1000
2.70	1000
3.00	800
3.40	500




- THE ZINC COATING WE CAN SUPPLY 60G/M2 OR 240G/M2

FENCE STAPLE



SMOOTH FENCE STAPLE



- GENERALLY USED FOR ATTACHING WOVEN WIRE FENCE, WELDED FENCE AND BARBED TO WOODEN FENCE POSTS. ATTACHING POULTRY NET FENCING TO WOOD.

LENGTH (MM)	GAUGE (MM)	INCHXGAUGE
15	1.6	5/8X16
20	2	3/4X14
20	2.65	3/4X12
25	2.65	1X12
30	3.75	1-1/4X9
30	4	1-1/4X8
40	4	1-1/2X8
50	4	2X8
50	5	2X6

BARBED FENCE STAPLE



- GALVANIZED WITH BARBED GOOD ANTI RUST, AND HOLD STABLE.
- 30X3MM
- 40X4MM
- 50X5MM

- 1KGS/BOX OR PLASTIC BAG
- 5KGS/BOX OR PLASTIC BUCKET