


Your fence partner



FENCE SOLUTIONS ZAUN SYSTEMS



LANOVA TRADE (HEBEI) CO.,LTD

Add: Room 919,Block 2,Wanda Plaza,No.136,Jianhua south street
Shijiazhuang,Hebei,China

Tel: 0086-311-69025506

Fax: 0086-311-83078840

Email: info@lanovatech.com , lanova@foxmail.com

Web: www.lanovatech.com

LANOVA TRADE (HEBEI) CO.,LTD



ABOUT US

Lanova Trade (Hebei)Co.,Ltd has been a professional supplier in Fence products and hardware products for many years. Garden ourdoor gate, fence,post,panels and groud anchor are main products. We have a large-scale monderized factory,professional team,scientific management system,all of which have guaranteed us the leading position in fence field, and our products are sold well in America,Europe and Australia.

Lanova relies on enterprise spirit that"focus, professional, innovation, customer first, sustainable development.". We insist that "High quality is company's greatest repayment;satisfaction of customer is ultimate aim of company". We devote to help our customers to be the best in their own market with our most competitive products and best service.


Lanova is proud of its young well trained team, that is full of ambition, and creativity, and We cordially welcome in and abroad customers to consult business with us for joint development.



- OUR FENCE AND GATE PRODUCTS ARE WELDED BY GALVANIZED WIRE AND TUBE. THEN USE ELECTROSTATIC SPRAYING FOR SURFACE TREATMENT. THE RAL COLOR CAN BE CHOOSD BY CUSTOMER.
- OUR AUTOMATIC AND MADERNIZATION POWDER COATING LINE CAN MAKE THE POWDER LAYER MORE ADHENSIVE ON THE METAL SURFACE AND MAKE THE SURFACE MORE SMOOTH AFTER COATED.
- THE DIMENSION IS AVAILABLE BY CUSTOMER REQUEST.
- HOT DIP GALVANIZED IS ALSO AVAILABLE BY CUSTOMER REQUEST.
- RECOMMENDED FOR PROFESSIONAL FENCING OF:
 - PLAYGROUNDS
 - PARKS
 - OFFICE BUILDINGS
 - PUBLIC BUILDINGS
 - SPORTS FACILITIES
 - PRIVATE PROPERTIES



RAL COLOR CAN BE COATED AS CUSTOMER REQUEST



CONTENTS


PANEL FENCE.....	01-13
OUTDOOR GATE.....	14-28
MESH FENCE.....	29-42
FENCE POST AND ACCESSORIES...	43-57
ANCHOR.....	58-64
CLAMPS.....	65-68
SPORT NET.....	69-71



PANEL FENCE

3D PANEL.....	2-3
2D PANEL.....	4-5
DECO PANEL.....	6
TRITOP PANEL.....	7
SECURITY PANEL.....	8
SECURITY STRENGTHEN MESH.....	9
PALISADE FENCE.....	10
GRATING FENCE.....	11
RAIL FENCE.....	12
FENCE NET.....	13


3D PANEL



- THE WELDED PANEL IS WELDED BY GALVANIZED WIRE AND THE POWDER COATED.

ECO PANEL

HEIGHT (MM)	LENGTH (MM)	MESH (MM)	V NO
1030	2200	100×55×4.0	2
1230	2200	100×55×4.0	2
1530	2200	100×55×4.0	3
1730	2200	100×55×4.0	3
1930	2200	100×55×4.0	3



PROMO PANEL



HEIGHT (MM)	LENGTH (MM)	MESH (MM)	V NO
630	2000	200×55×4.0	2
1030	2000	200×55×4.0	2
1230	2000	200×55×4.0	2
1530	2000	200×55×4.0	3
1730	2000	200×55×4.0	3
1930	2000	200×55×4.0	3

STRONG PANEL

HEIGHT (MM)	LENGTH (MM)	MESH (MM)	V NO
630	2500	200×55×5.0	2
830	2500	200×55×5.0	2
1030	2500	200×55×5.0	2
1230	2500	200×55×5.0	2
1530	2500	200×55×5.0	3
1730	2500	200×55×5.0	3
1930	2500	200×55×5.0	3
2030	2500	200×55×5.0	4
2230	2500	200×55×5.0	4
2430	2500	200×55×5.0	4






- WITH TWO WIRES ON CURVE IS ALSO AVAILABLE TO PRODUCE.
- OTHER MODEL MAYBE PRODUCED BY CUSTOMERS' REQUEST.



2D PANEL



- THE MESH APERTURE FOR THIS TWIN-WIRE TYPE OF WELDED MESH FENCE IS 200MM X 50MM. TWIN HORIZONTAL WIRES AT EACH INTERSECTION GIVE A RIGID BUT FLAT PROFILE TO THIS MESH FENCING SYSTEM, WITH VERTICAL WIRES AT 5 OR 6MM AND HORIZONTAL WIRES EITHER 6 OR 8MM DEPENDING ON THE HEIGHT OF THE MESH PANEL AND THE SITE APPLICATION.



HEIGHT (MM)	LENGTH (MM)	MESH (MM)	WIRE
630	2500	200×50	8/6/8
830	2500	200×50	8/6/8
1030	2500	200×50	8/6/8
1230	2500	200×50	8/6/8
1430	2500	200×50	8/6/8
1630	2500	200×50	8/6/8
1830	2500	200×50	8/6/8
2030	2500	200×50	8/6/8
2230	2500	200×50	8/6/8
2430	2500	200×50	8/6/8

HEIGHT (MM)	LENGTH (MM)	MESH (MM)	WIRE
630	2500	200×50	6/5/6
830	2500	200×50	6/5/6
1030	2500	200×50	6/5/6
1230	2500	200×50	6/5/6
1430	2500	200×50	6/5/6
1630	2500	200×50	6/5/6
1830	2500	200×50	6/5/6
2030	2500	200×50	6/5/6
2230	2500	200×50	6/5/6
2430	2500	200×50	6/5/6


- OTHER MODEL MAYBE PRODUCED BY CUSTOMERS' REQUEST.




DECO PANEL



- TWO HORIZON WIRE TO STRENGTH THE FENCE



ARC TOP HEIGHT (MM)	FLAT TOP HEIGHT (MM)	LENGTH (MM)	MESH (MM)	WIRE (MM)
686	762	2050	200×65	5
886	962	2050	200×65	5
1086	1162	2050	200×65	5
1286	1362	2050	200×65	5
1486	1562	2050	200×65	5



HEIGHT (MM)	LENGTH (MM)	MESH (MM)	WIRE (MM)
830	2000	200×50	6/6/6
1030	2000	200×50	6/6/6
1230	2000	200×50	6/6/6


- OTHER SIZE AND DESIGN CAN BE PRODUCE AS CUSTOMER REQUEST.

TRITOP PANEL



HEIGHT (MM)	LENGTH (MM)	MESH(MM)	WIRE(MM)	V NO
800	2400	200×75	5	2
1000	2400	200×75	5	2
1200	2400	200×75	5	2
1400	2400	200×75	5	2
1600	2400	200×75	5	2
1800	2400	200×75	5	2
2100	2400	200×75	5	2


- FINISH: HOT DIP GALVANIZED
PRE GALVANIZED + POWDER COATED
- OTHER SIZE AND DESIGN CAN BE PRODUCE AS CUSTOMER REQUEST.



SECURITY PANEL




- THIS MESH FENCING IS FOR HIGH SECURITY APPLICATIONS, THOUGH IS ALSO OFTEN USED FOR LOWER SECURITY APPLICATIONS FOR PEACE OF MIND. THE MESH USED IS A $75 \times 12.5 \times 4$ MM FABRIC (COMMONLY TERMED 358 MESH) AND THESE VERY SMALL APERTURES MEAN THAT IT IS NOT POSSIBLE FOR ANY WOULD-BE INTRUDER TO GET A FINGER OR TOE HOLD FOR CLIMBING, OR INDEED FOR GETTING A CUTTING TOOL INTO.



HEIGHT (MM)	LENGTH (MM)	MESH (MM)	HORIZONTAL WIRES(MM)	VERTICAL WIRES(MM)
1500	2500	12.7×76.2	4	4
1800	2500	12.7×76.2	4	4
2000	2500	12.7×76.2	4	4
2200	2500	12.7×76.2	4	4
2400	2200	12.7×76.2	4	4
2800	2200	12.7×76.2	4	4
3000	2200	12.7×76.2	4	4


WE ALSO CAN CUSTOMISE SHEET SIZE AND LAPPING ACCORDING TO CLIENTS' PARTICULAR NEEDS.

SECURITY STRENGTHEN MESH






- STAINLESS STEEL 304 OR 316
- HOT DIP GALVANIZED WIRE
- OTHER SIZE CANBE PRODUCED WITH CUSTOMER REQUEST

MESH	WIDTH	LENGTH	PACKING	WIRE DIA
5×5MM	600MM	2000MM	PANEL	0.8MM 0.9MM 1.0MM
5×5MM	900MM	2000MM	PANEL	
5×5MM	1000MM	2000MM	PANEL	
5×5MM	1200MM	2000MM	PANEL	
5×5MM	600MM	25M OR 50M	ROLL	
5×5MM	900MM	25M OR 50M	ROLL	
5×5MM	1000MM	25M OR 50M	ROLL	
5×5MM	1200MM	25M OR 50M	ROLL	
12×12MM	2000MM	2000MM	PANEL	2MM 3MM
		2500MM	PANEL	4MM 5MM



II PALISADE FENCE

- PALISADE IS MORE SECURE THAN OTHER FENCING SYSTEMS SO WHEREVER SECURITY IS PRIORITY PALISADE IS USED IN VARIOUS COLORS TO BLEND WITH THE ENVIROMET.



- FINISH: 1. HOT DIPPED GALVANIEED.
2. COLOR COATED INA RANGE OF RAL COLOURS.

FENCE HEIGHT (MM)	PALE THICKNESS(MM)	HORIZONTAL RAIL ANGLE SIZE (MM)	I BEAM POST SIZE (MM)	LENGTH (MM)
1500	2.0-3.0	50×50×6	100×65×5.0MM	2400
1800	2.0-3.0	50×50×6	100×65×5.0MM	2400
2000	2.5-3.0	50×50×6	100×65×5.0MM	2625
2100	2.5-3.0	50×50×6	100×65×5.0MM	2725
2400	2.5-3.0	50×50×6	100×65×5.0MM	3125
3000	2.5-3.0	50×50×6	100×65×5.0MM	3925


II GRATING FENCE




- STEEL GRATING FENCE IS MADE BY WELDING WITH FLAT STEEL AND BARS WITH CERTAIN DISTANCES. IT GOES THROUGH CUTTING, OPENING, EDGING AND OTHER PROCESSES. THE PRODUCTS ENJOY THE FEATURE OF HIGH STRENGTH, LIGHT STRUCTURE, HIGH BEARING, CONVENIENCE FOR LOADING AND OTHER PROPERTIER. THE HOT DIPPED ZINC COATING GIVES THE PRODUCT EXCELLENT ANTI-CORROSION.
- MATERIAL: HIGH QUALITY LOW CARBON STEEL, STAINLESS STEEL 304 OR 316
- TYPES: PLAIN BAR AS STANDARD.
- FINISHES: ELECTRO GALV, HOT DIPPED GALV, POWDER COATED, ACCORDING TO THE DIFFERENCE SURFACE TREATMENT.

TYPE	SQUARE HOLE (MM)	BEARING BAR (MM)	HEIGHT (MM)	COLUMN (MM)	SPACING (MM)	WEIGHT (KG/SQM)
	60×130	≠30×4	930	≠80×8	2000	23.4
	60×130	≠30×4	1326	≠80×8	2000	22.5
	60×130	≠30×4	1722	≠80×8	2000	22.1
	60×130	≠30×4	2118	≠80×8	2000	21.8
	60×130	≠30×4	2514	≠80×8	2000	21.6

RAIL FENCE



RAIL FENCE



BARB RAIL FENCE



ARC RAIL FENCE

- DIMENSION
 1.0M×2.0M
 1.2M×2.0M
 1.5M×2.0M
 1.8M×2.0M
 2.0M×2.0M
- OTHER SIZE CAN BE RPRODUCED AS CUSTOMER REQUEST
- PRE GALVANIZED+POWDER COATED
- HOT DIP GALVANIZED AFTER

FENCE NET



- FENCE SCREEN ARE IDEAL FOR RESIDENTIAL FENCE, COMMERCIAL FENCE,NURSERIES,GARDENS, CONSTRUCTION SITES,BACKYARDS AND LANDSCAPING.



FENCE CLIPS

MATERIAL	HIGH DENSITY POLYETHYLENE
COLOR	DARK GREEN,BLUE,GREEN
WEIGHT	FROM80G/SM TO 300G/SM
SHADE FACTOR	FROM 80% TO 95%
UV	3%
WIDTH	0.5M-4M
LENGTH	5M-200M



OUTDOOR GATE

SQUARE PIPE GATE.....	15
ROUND PIPE GATE.....	16
ECO GATE/PROMO GATE/PANEL GATE.....	17
BAR GATE/DECO GATE.....	18
GATE ACCESSORIES.....	19-20
SLIDING GATE ACCESSORIES.....	21-26
FARM GATE/FARM GATE ACCESSORIES.....	27
CROWD BARRIER/HAY FEEDER/MOBILE FENCE.....	28

SQUARE PIPE GATE

SINGLE SWING GATE

HEIGHT(MM)	WIDTH(MM)	MESH(MM)	FRAME(MM)	GATE POST(MM)
1000	1000	50×50×4.0	40×40×1.5	60×60×1.5
1250	1000	50×50×4.0	40×40×1.5	60×60×1.5
1500	1000	50×50×4.0	40×40×1.5	60×60×1.5
1750	1000	50×50×4.0	40×40×1.5	60×60×1.5
2000	1000	50×50×4.0	40×40×1.5	60×60×2.0



DOUBLE SWING GATE


HEIGHT(MM)	WIDTH(MM)	MESH(MM)	FRAME(MM)	GATE POST(MM)
1250	3000(2×1500)	50×50×4.0	40×40×1.5	60×60×1.5
1500	3000(2×1500)	50×50×4.0	40×40×1.5	60×60×1.5
1750	3000(2×1500)	50×50×4.0	40×40×1.5	60×60×2.0
2000	3000(2×1500)	50×50×4.0	40×40×1.5	60×60×2.0
1250	4000(2×2000)	50×50×4.0	40×40×1.5	60×60×2.0
1500	4000(2×2000)	50×50×4.0	40×40×1.5	60×60×2.0
1750	4000(2×2000)	50×50×4.0	40×40×1.5	60×60×2.0
2000	4000(2×2000)	50×50×4.0	40×40×1.5	60×60×2.0

ROUND PIPE GATE



SINGLE SWING GATE

HEIGHT(MM)	WIDTH(MM)	MESH(MM)	FRAME(MM)	GATE POST(MM)
1000	1000	50×50×4.0	40×1.5	60×1.5
1250	1000	50×50×4.0	40×1.5	60×1.5
1500	1000	50×50×4.0	40×1.5	60×1.5
1750	1000	50×50×4.0	40×1.5	60×1.5
2000	1000	50×50×4.0	40×1.5	60×1.5



DOUBLE SWING GATE

HEIGHT(MM)	WIDTH(MM)	MESH(MM)	FRAME(MM)	GATE POST(MM)
1250	3000(2×1500)	50×50×4.0	40×1.5	60×1.5
1500	3000(2×1500)	50×50×4.0	40×1.5	60×1.5
1750	3000(2×1500)	50×50×4.0	40×1.5	60×1.5
2000	3000(2×1500)	50×50×4.0	40×1.5	60×1.5
1250	4000(2×2000)	50×50×4.0	40×1.5	60×2.0
1500	4000(2×2000)	50×50×4.0	40×1.5	60×2.0
1750	4000(2×2000)	50×50×4.0	40×1.5	60×2.0
2000	4000(2×2000)	50×50×4.0	40×1.5	60×2.0



ECO GATE



HEIGHT(MM)	WIDTH(MM)	MESH(MM)	FRAME(MM)	GATE POST(MM)
1000	1000	200×50×4.0	32×1.3	48×1.5
1200	1000	200×50×4.0	32×1.3	48×1.5
1500	1000	200×50×4.0	32×1.3	48×1.5

PROMO GATE



HEIGHT(MM)	WIDTH(MM)	MESH(MM)	FRAME(MM)	GATE POST(MM)
1000	1000	100×50×4.0	40×1.3	48×1.5
1200	1000	100×50×4.0	40×1.3	48×1.5
1500	1000	100×50×4.0	40×1.3	48×1.5

PANEL GATE



HEIGHT(MM)	WIDTH(MM)	MESH(MM)	FRAME(MM)	GATE POST(MM)
1000	1000	200×50×8/6/8	40×40×1.5	60×60×1.5
1200	1000	200×50×8/6/8	40×40×1.5	60×60×1.5
1500	1000	200×50×8/6/8	40×40×1.5	60×60×1.5
1800	1000	200×50×8/6/8	40×40×1.5	60×60×1.5
2000	1000	200×50×8/6/8	40×40×1.5	60×60×1.5

II BAR GATE

NEIGHBOR BAR DISTANCE 110MM.

HEIGHT(MM)	WIDTH(MM)	MESH(MM)	FRAME(MM)	GATE POST(MM)
1000	1000	20×20×1.0	40×40×1.5	60×60×1.5
1250	1000	20×20×1.0	40×40×1.5	60×60×1.5
1500	1000	20×20×1.0	40×40×1.5	60×60×1.5
1750	1000	20×20×1.0	40×40×1.5	60×60×1.5
2000	1000	20×20×1.0	40×40×1.5	80×80×2.0
1250	3000(2×1500)	20×20×1.0	40×40×1.5	60×60×1.5
1500	3000(2×1500)	20×20×1.0	40×40×1.5	60×60×1.5
1750	3000(2×1500)	20×20×1.0	40×40×1.5	80×80×2.0
2000	3000(2×1500)	20×20×1.0	40×40×1.5	80×80×2.0



BARB TOP TYPE


II DECO GATE



HEIGHT(MM)	WIDTH(MM)	MESH(MM)	FRAME(MM)	GATE POST(MM)
1000	1000	200×50×8/6/8	40×40×1.5	60×60×1.5
1200	1000	200×50×8/6/8	40×40×1.5	60×60×1.5
1500	1000	200×50×8/6/8	40×40×1.5	60×60×1.5
1800	1000	200×50×8/6/8	40×40×1.5	60×60×1.5

II GATE ACCESSORIES

GATE POST CAP



SQUARE CAP
60X60MM
80X80MM
100X100MM



ROUND CAP
48MM
60MM
75MM

GATE POST CLAMPS



48MM
60MM

HINGERS CAP



M12

HANDLE



ALUMINUM HANDLE



ALU SILVER HANDLE



PLASTIC HANDLE

HANDLE RING



HANDLE STEEL



HINGE FIX



40X40MM

HINGE



STEEL HINGE
M16

STEEL HINGE
M12

STAINLESS STEEL
HINGE M12

HINGE RING

HINGE BOLT

LOCK




COMMON LOCK + THREE KEYS

COPPER CORE LOCK + THREE KEYS

LOCK CYLINDER

GATE STOP



STEEL

PLASTIC

DROP BOLT



GATE SET



SLIDING GATE ACCESSORIES

FLY SHAPE WELDING HINGE



SPECIFICATION	L (MM)	L1 (MM)	THICKNESS(MM)	KG
2.5 #	75	35	1.8	0.63
3 #	88	41.5	2	0.94
4 #	102	47.8	2.5	0.150

FLAT HEAD WELDING HINGE




PRODUCT CODE	HY-WHF													
	105	126	147	167	168	188	1810	2080	2210	2212	2510	2512	3012	3514
DIAMETER(MM)	10	12	14	16	16	18	18	20	22	22	25	25	30	35
L(MM)	50	60	70	70	80	80	100	80	100	120	100	120	120	140
PCS	1	1	1	1	1	1	1	1	1	1	1	1	1	1
KG	0.03	0.053	0.085	0.11	0.125	0.16	0.2	0.197	0.298	0.346	0.462	0.462	0.666	1.05

GATE COMPONENTS



PRODUCT CODE	A	B	H	S	L	WHEEL Φ	SIZE HR
31RM	30/70	65	70	3	165	41	60

ROLLER GULDE




GUIDE ROLLER




	L SHAPE BRACKET WITH ONE NYLON ROLLER	L SHAPE BRACKET WITH TWO NYLON ROLLER
A MM	60	60
B MM	100	150
C MM	40	40
WHEEL SIZE	31	31
	HR41	HR41
THICKNESS OF IRON PIECE	5	5
PCS	1	1
KG	0.320	0.520

ROLLER SET



PRODUCT CODE	L	H	S	A	B	D	HR
HY-41RS	165/210	200	2.5	30/70	55	32	40
HY-41RM	130/170	220	3	35/60	55	32	40
HY-41RG	195/245	350	4	60/100	68	42	40




PRODUCT CODE	A	B	C	S	D	WHEEL SIZE	
						Φ	HR
HY-51RS	45/70	20/60	220	3	55	32	40
HY-51RM	55/75	20/60	220	3	55	41	40
HY-51RG	55/100	60/100	350	4	65	41	60
HY-51SP	55/100	60/100	290	4	65	41	60

ROLLER




PRODUCT CODE	HY-NR						
	2540	3140	4140	4148	4144	4160	41150
DIAMETER(MM)	25	31	41	41	41	41	41
A(MM)	40	40	40	48	44	60	150
B(MM)	76	76	74	90	90	104	180
F(MM)	M12	M12	M16	M16	M16	M16	M16
PCS	1	1	1	1	1	1	1
KG	0.122	0.130	0.205	0.240	0.247	0.272	0.610

WELDING HINGE




PRODUCT CODE	D	d	F	G	I	H	S	A
HY-EHR16	30	14	M16	47-70	27	43	6	14
HY-EHR18	32	14	M18	51-70	27	43	6	16
HY-EHR20	34	14	M20	51-70	27	43	6	17
HY-EHR24	38	19	M24	53-80	27	43	6	18

GATE HINGE




PRODUCT CODE	D	d	F	G	I	H	S	A
HY-EHN16	20	14	M16	47-70	27	43	6	15
HY-EHN18	22	14	M18	51-70	27	43	6	18
HY-EHN20	25	14	M20	51-70	27	43	6	20
HY-EHN24	28	19	M24	53-80	27	43	6	25

WELDING HINGE WITH BOLT




PRODUCT CODE	D	d	F	G	I	H	S	A	D1	INT
HY-EHS16	30	14	M16	47-70	27	43	6	14	8.3	60
HY-EHS18	32	14	M18	51-70	27	43	6	16	8.3	70
HY-EHS20	34	14	M20	51-70	27	43	6	17	8.3	75
HY-EHS24	38	19	M24	53-80	27	43	6	18	11	85

GUIDE WHEEL




PRODUCT CODE	HY-GW		
	50	68	105
B(MM)	51	72	103
B1(MM)	15	15	30
L(MM)	125	125	165
A(MM)	12	15	14
D(MM)	68	74	98
PCS	1	1	1
KG	0.935	1.120	3.300

CANTI LEVER GATE WHEEL




PRODUCT CODE	D	A	H	H1	S	F(MM)	G	C	C1	C2	LOADING CAPACITY KG	COMPATIBLE TRACK	WEIGHT KG	COMPATIBLE GATE LENGTH
HY-CW-1	48	12.5	140	52.5	10	51	140	190	20		400	GIPI 4 RRZ	4.7	4M
HY-CW-2	68	15	162	74	10	72	150	300	25	35	600	GIPI 4 RGZ	12	6M
HY-CW-3	113	30	247	129	15	106	200	470	25	35	1200	GIPI 4 RMZ	44.6	15M

ROLLER SET



PRODUCT CODE	DIAMETER(MM)	A(MM)	C(MM)	E(MM)	CAPACITY 2WHEELS	PCS	KG
HY-CY50	48	17	22	10×45	120	1	0.18
HY-CY60	58	17	22	13×50	200	1	0.296
HY-CY70	68	20	28	12×60	300	1	0.42
HY-CY80	78	20	28	12×60	300	1	0.6
HY-CY90	88	20.5	33	14×60	300	1	0.84
HY-CY100	98	22	33	14×60	400	1	1.08
HY-CY120	118	25	44	14×60	400	1	1.864
HY-CY140	138	25	44	16×70	600	1	2.564
HY-CY160	158	25	44	16×70	700	1	3.5





PRODUCT CODE	DIAMETER(MM)	A(MM)	C(MM)	E(MM)	D(MM)	CAPACITY 2WHEELS	PCS	KG
HY-CU50	48	17	22	10×45	14.6	120	1	0.18
HY-CU60	58	17	22	13×50	14.6	200	1	0.296
HY-CU70	68	20	28	12×60	16.6	300	1	0.42
HY-CU80	78	20	28	12×60	16.6	300	1	0.6
HY-CU90	88	20.5	33	14×60	16.6	300	1	0.84
HY-CU100	98	22	33	14×60	16.6	400	1	1.08
HY-CU120	118	25	44	14×60	20.6	400	1	1.864
HY-CU140	138	25	44	16×70	20.6	600	1	2.564
HY-CU160	158	25	44	16×70	20.6	700	1	3.5



PRODUCT CODE	DIAMETER(MM)	A(MM)	C(MM)	E(MM)	CAPACITY 2WHEELS	PCS	KG
HY-CV50	48	17	22	10×45	120	1	0.18
HY-CV60	58	17	22	13×50	200	1	0.296
HY-CV70	68	20	28	12×60	300	1	0.42
HY-CV80	78	20	28	12×60	300	1	0.6
HY-CV90	88	20.5	33	14×60	300	1	0.84
HY-CV100	98	22	33	14×60	400	1	1.08
HY-CV120	118	25	44	14×60	400	1	1.864
HY-CV140	138	25	44	16×70	600	1	2.564
HY-CV160	158	25	44	16×70	700	1	3.5


DOOR ROLLER BERAING


PRODUCT CODE	DIAMETER(MM)	A(MM)	C(MM)	CAPACITY 2WHEELS	PCS	KG
HY-FY45	58	15	31	250	1	0.4
HY-FY58	68	15	31	300	1	0.6
HY-FY68	78	15	31	400	1	0.85


DOOR WHEELS


PRODUCT CODE	78
A(MM)	30
C(MM)	34
D(MM)	26
E(MM)	14×60
CAPACITY 2 WHEELS	500KG
PCS	1
KG	0.715

ROLLER SET



PRODUCT CODE	DIAMETER(MM)	A(MM)	C(MM)	H(MM)	CAPACITY 2WHEELS	PCS	KG
HY-BY80	78	20	33	22	250	1	0.775
HY-BY90	88	20.5	33	23	250	1	1.025
HY-BY100	98	22	33	28	300	1	1.3
HY-BY120	118	25	36	24	400	1	2.185
HY-BY140	138	25	36	29	500	1	2.95




PRODUCT CODE	DIAMETER(MM)	A(MM)	C(MM)	H(MM)	D(MM)	CAPACITY 2WHEELS	PCS	KG
HY-BU80	78	20	33	22	16	250	1	0.775
HY-BU90	88	20.5	33	23	16	250	1	1.025
HY-BU100	98	22	33	28	16	300	1	1.3
HY-BU120	118	25	36	24	20	400	1	2.185
HY-BU140	138	25	36	29	20	500	1	2.95



PRODUCT CODE	DIAMETER(MM)	A(MM)	C(MM)	H(MM)	CAPACITY 2WHEELS	PCS	KG
HY-BV80	78	20	33	22	250	1	0.775
HY-BV90	88	20.5	33	23	250	1	1.025
HY-BV100	98	22	33	28	300	1	1.3
HY-BV120	118	25	36	24	400	1	2.185
HY-BV140	138	25	36	29	500	1	2.95

II FARM GATE


V TYPE



I MESH TYPE



N TYPE



5 BAR TYPE



TYPE	PIPE	WIDTH	HEIGHT
N TYPE	25NB	2.4M	1.16M
V TYPE	25NB	3.0M	1.16M
I MESH TYPE	25NB	3.6M	1.16M
BAR TYPE	25NB	4.2M	1.55M
	25NB	4.8M	1.55M

- THE FARM GATE IS MADE BY HOT DIP GALVANIZED PIPE AND WIRE. AND WIDLY USE THE RURAL AND FARM.

II FARM GATE ACCESSORIES


FARM GATE HINGE SET



WOODEN POLE HINGE



FARM GATE HINGE

II CROWD BARRIER

- HOT DIP GALVANIZED AFTER WELDED



PIPE	SIZE
32MM	1.1M×1.5M
32MM	1.1M×2.1M
32MM	1.1M×2.5M



- OTHER SIZE AND TYPE CAN BE PRODUCED BY CUSTOMER REQUEST.


II HAY FEEDER



II MOBILE FENCE

- WELDED BY HOT DIP GALVANIZED PIPE AND MESH

PIPE	MESH	SIZE
38MM	200×75MM	1.75M×2.5M
38MM	200×75MM	2.00M×2.5M
38MM	200×75MM	2.20M×2.5M



PLASTIC BASE



STEEL BASE



CLIP

- OTHER SIZE AND TYPE CAN BE PRODUCED BY CUSTOMER REQUEST.






MESH FENCE




EURO FENCE.....	30-31
BORDER FENCE/DEER FENCE	32
CHAIN LINK FENCE.....	33
CATTLE FENCE/WELDED FIELD FENCE.....	34
RAZOR WIRE.....	35
FLAT RAZOR WIRE/WELDED RAZOR WIRE PANEL.....	36
WALL SPIKE/BARBED WIRE.....	37
GABION STONE WALL.....	38
SAFETY FENCE.....	39-42



II EURO FENCE



- WIDELY USE FOR PRIVATE RESIDENCES, PARKS AND GARDENS
- ELECTRO WELDED MESH AND THEN PLASTIC COATED ON GALVANIZED WIRE
- PVC COATED, COLOR CAN BE AVAILABLE

PLUS FENCE	STRONG FENCE	CLASSICAL FENCE
MESH 100×50MM	MESH 100×50MM	MESH 100×50MM
WIRE 1.7/2.1MM	WIRE 2.0/2.5MM	WIRE 1.7/2.1MM
		

LIGHT FENCE	PROMO FENCE	ECO FENCE
MESH 100×75MM	MESH 100×100MM	MESH 76×63MM
WIRE 1.7/2.1MM	WIRE 1.7/2.1MM	WIRE 1.7/2.1MM
		

FORTI FENCE MEDIUM	FORTI FENCE STRONG	BARB FENCE
MESH 50×60MM	MESH 50×60MM	MESH 50×50MM
WIRE 2.0/2.5MM	WIRE 2.5/3.0MM	WIRE 2.0/2.5MM
		

AVAILABLE DIMENSION

HEIGHT	LENGTH
0.6-2.0M	5M,10M,25M

- PACKING: SHRINK THE PLASTIC BAG BULK LOAD OR PALLET PACKING



|| BORDER FENCE



- WOVEN FENCE WITH SCROLLED TOP FOR DECORATION, PLASTIC COATED ON GALVANIZED WIRE.
- CORRUGATED VERTICAL WIRES FOR DECORATION.
- MESH SIZE 15×9CM
- VERTICAL WIRE: 2.4MM
- HORIZONTAL WIRE: 3.0MM

HEIGHT	LENGTH
25CM	10M
40CM	10M/25M
65CM	10M/25M
90CM	10M/25M
120CM	10M/25M



|| DEER FENCE

STEEL HEX FENCE



- GROUND STAKES, REBAR J HOOK, 20PCS/PACKAGE, 3/8" DIA 12" / 18"
- PVC COATED BLACK, HEX MESH 1" AND GAUGE 20
2'H×150'L / 3'H×150'L / 4'H×150'L / 5'H×150'L / 6'H×150'L / 7.5'H×100'L

POLY DEER FENCE



ITEM	MESH SIZE(MM)	WEIGHT(G/M ²)	WIDTH
LA6025	60×60	25	4',5',6',7'
LA2050	20×20	50	4',5',6',7'



|| CHAIN LINK FENCE



- CHAIN LINK FENCE IS PRODUCED WITH QUALITY GALVANIZED WIRE OR PLASTIC COATED WIRE AND NORMALLY USED FOR PROTECTION, SECURITY AND LASTING FENCING.

GALVANIZED CHAIN LINK FENCE

MESH	WIDTH	WIRE GAUGE
3/4"	20MM	BWG15, 16
1"	25MM	BWG14,15,16
1-1/2"	40MM	BWG9,10,11,12,14
2"	50MM	BWG8,9,10,11,12,13,14
2-1/2"	60MM	BWG8,9,10,11,12,13,14
3"	75MM	BWG8,9,10,11,12,13,14



PLASTIC COATED CHAIN LINK FENCE


MESH	WIRE GAUGE
50×50MM	1.8/2.8MM,2.0/3.0MM,2.5/3.5MM
60×60MM	1.8/2.8MM,2.0/3.0MM,2.5/3.5MM
75×75MM	1.8/2.8MM,2.0/3.0MM,2.5/3.5MM



- PACKING: IN ROLLS, SPECIAL PACKING MAY BE ARRANGED UPON REQUEST


WIDTH	LENGTH
0.5-3M	10-25M

- REMARK: SIZES OTHER THAN
- THOSE ABOVE MENTIONED MAY BE MADE TO ORDER AFTER CONSIDERATION




|| CATTLE FENCE

- CATTLE FENCE IS SUITABLE FOR BORDERS IN FIELDS AND GRASSLAND FOR BREEDING OF DEER, CATTLE AND OTHER ANIMALS.
- EDGE WIRE 2.4MM, INSIDE WIRE 1.90MM
- HORIZONTAL WIRE 700-800MPA • VERTICAL WIRE 400-500MPA
- TWO HORIZON WIRE DISTANCE 300MM IS ALSO AVAILABLE






|| WELDED FIELD FENCE



|| RAZOR WIRE

- RAZOR WIRE IS A TYPE OF FENCING USUALLY USED IN SECURITY APPLICATIONS, OR TO PREVENT EXTREMELY STUBBORN FROM ESCAPING. IT IS SIMILAR TO BARBED WIRE IN CONSTRUCTION, BUT FEATURES SHARP RAZOR LIKE SHAPES CUT FROM STEEL TAPE.



REFERENCE NUMBER	BLADE STYLE	THICKNESS	WIRE DIA	BLADE LENGTH	BLADE WIDTH	BLADE SPACING
BTO-15		0.5±0.05	2.5±0.1	15±1	15±1	33±1
BTO-22		0.5±0.05	2.5±0.1	22±1	22±1	34±1
BTO-30		0.5±0.05	2.5±0.1	30±1	18±1	46±1
BTO-60		0.6±0.05	2.5±0.1	60±2	21±1	100±2
BTO-65		0.6±0.05	2.5±0.1	65±2	21±1	100±2

COIL DIAMETER	NO. OF LOOPS	STANDARD LENGTH PER COIL	TYPE	NOTES
450MM	33	7-8M	CBT-60.65	SINGLE COIL
500MM	41	9-10M	CBT-60.65	SINGLE COIL
500MM	56	12-13M	CBT-60.65	SINGLE COIL
700MM	56	13-14M	CBT-60.65	SINGLE COIL
450MM	56	8-9M (3 CLIPS)	BTO-15.22. 30	CROSS TYPE
500MM	56	9-10M (3 CLIPS)	BTO-15.22. 30	CROSS TYPE
600MM	56	10-11M (3 CLIPS)	BTO-15.22. 30	CROSS TYPE
700MM	56	10-12M (5 CLIPS)	BTO-15.22. 30	CROSS TYPE
900MM	56	12-14M (5 CLIPS)	BTO-15.22. 30	CROSS TYPE
960MM	56	13-15M (5 CLIPS)	BTO-15.22. 30	CROSS TYPE
980MM	56	14-16M (5 CLIPS)	BTO-15.22. 30	CROSS TYPE

- THE LENGTH AND WIRE DIAMETER CAN BE MADE ACCORDING TO CUSTOMERS' REQUEST.
- CORE WIRE MATERIAL: GALVANIZED WIRE AND STAINLESS STEEL WIRE.
- BLADE MATERIAL: GALVANIZED SHEET AND STAINLESS STEEL PLATE.
- PACKING: CARTON OR WATER PROOF PAPER PACK.

II FLAT RAZOR WIRE


- FLAT RAZOR BARBED WIRE IS PRESSED THE SINGLE LOOP RAZOR BARBED WIRE INTO FLAT, OR PRESS TWO LOOPS INTO FLAT THEN EXPAND THEM ACROSS. WE USUALLY USE IT TOGETHER WITH BEENLINE RAZOR BARBED WIRE TO BUILD A DEFENCING WALL, OR USE IT ALONE AS A FENCE.
- OTHER SIZE CAN BE PRODUCE AS CUSTOMER REQUEST.



ITEM	DIA(MM)	LENGTH(M)
BTO-22	500	15
BTO-22	600	15
BTO-22	700	15
BTO-22	900	15

II WELDED RAZOR WIRE PANEL

- RAZOR WIRE WELDED PANEL GALVANIZED,DIAMOND MESH
- GALVANIZED RAZOR WIRE WELDED AND THEN SILVER PAINTED




MESH	RAZOR TYPE	POPULAR SIZE	PCS
150X75MM	BTO-30	2.0M×2.5M	PANEL ON PALLET
		2.0M×2.5M	PANEL ON PALLET
		2.0M×6.0M	ROLLS ON COILS
		2.0M×6.0M	ROLLS ON COILS
300X150MM	BTO-30	2.0M×2.5M	PANEL ON PALLET
		2.0M×2.5M	PANEL ON PALLET
		2.0M×6.0M	ROLLS ON COILS
		2.0M×6.0M	ROLLS ON COILS
WIDTH 1.0METER TO 2.1METER		LENGTH 2.0METER TO 6.0METER	



II WALL SPIKE

- AVAILABLE MATERIAL:HOT-DIP GALVANIZED STEEL,STAINLESS STEEL AISI430 OR AISI304.



II BARBED WIRE

- WIRE MATERIALS:
GALVANIZED STEEL WIRE,
PVC COATED WIRE.
- GENERAL USE:
BARBED WIRE IS MAINLY USED IN
PROTECTING GRASS BOUNDARY,
RAILWAY,AND HIGHWAY,ETC.
- PACKING: BULK OR ON PALLET
- THE OTHER SIZE MAY BE AVAILABLE BY
CUSTOMERS' REQUEST.




TYPE	WIRE GAUGE		BARB DISTANCE	BARB LENGTH
ELECTRO GALVANIZED HOT-DIP GALVANIZED	BWG10 × BWG12 BWG12 × BWG12 BWG12 × BWG14 BWG14 × BWG14 BWG14 × BWG16 BWG16 × BWG16 BWG16 × BWG18 BWG17 × BWG17		7.5-15CM	1.5-3CM
PVC COATED PE COATED	BEFORE COATED 1.0MM-3.5MM BWG11-20	AFTER COATED 1.4MM-4.0MM BWG8-17	7.5-15CM	1.5-3CM
PVC PE COATING THICKNESS: 0.4MM-0.6MM; DIFFERENT COLORS OR LENGTH ARE AVAILABLE AT CUSTOMERS' REQUEST.				

II GABION STONE WALL

- GABIONS ARE STONE FILLED WIRE CAGES, WHICH ARE USED IN LANDSCAPING AS A RETAINING WALL TO RETAIN OR PROTECT SLOPES FROM EROSION E.G. ALONG RIVER BANKS. THIS NEW GABIONS MADE OF WELDED MESH PANELS ARE EASY FOR ASSEMBLING AND IS IDEALLY USED AS DECORATION WALLS IN THE GARDENS. ONE COMPARTMENT SET INCLUDES 6PCS MESH SHEET AND 12PCS SPIRALS, ADDITIONAL STRENGTHENING WIRE HOOKS ARE INCLUDED FOR BIG SIZES.
- MESH SIZES AVAILABLE: 50×50MM, 75×75MM, 100×50MM

LENGTH(CM)	WIDTH(CM)	HEIGHT(CM)
30	30	30
60	30	30
45	45	45
60	45	45
60	60	60
90	60	60
50	50	50
100	50	50
150	50	50
200	50	50

- OTHER SIZE CAN BE PRODUCE BY CUSTOMER REQUEST.



- STRENGTH HOOK
- TO MAKE THE GABIONS MORE SOLIDITY
- FINISH: HOT DIP GALVANIZED
- SIZE: 4.0MM×15MM 4.0MM×30MM 4.0MM×50MM
- PACKING: 10PCS/BUNDLE

- FIX RING TO FIX TWO NEIGHBOURING WELDED PANEL.
- FINISH: HOT DIP GALVANIZED
- DIA: 3.0MM 4.0MM



- NETTING CLIP AND PLIER



19MM

II SAFETY FENCE

- THESE PRODUCTS ARE USED AS SAFETY FENCING OR WARNING BARRIER FOR CONSTRUCTION SITES. AND THEY ARE ALSO USED AS SNOW FENCING. THE MOST POPULAR COLOR IS ORANGE.
- FEATURES: MANUFACTURED FROM PE U.V. STABILIZED WITH THE RECTANGULAR MESH TYPE. RE-USEABLE USUALLY PACKED IN ROLLS IN PLASTIC FILM BAGS WITH LABELS INSIDE, AND LOOSELY LOADED INTO THE CONTAINER CAN BE MANUFACTURED IN ANY HEIGHT FROM 1 MTRS TO 1.9MTRS
- WE ALSO CAN PRODUCE OTHER SIZE AS PER CUSTOMER'S REQUIREMENTS.




LB SERIES


ITEM	MESH SIZE (MM)	WEIGHT (G/M ²)	SIZE
LALB270-06060	60×60	270	4'×50' 4'×100'
LALB350-06560	65×60	350	
LALB400-06055	60×55	400	
LALB500-06055	60×55	500	
LALB300-03838	38×38	300	



• OTHER SIZE CAN BE PRODUCE BY CUSTOMER REQUEST.

SR SERIES

SR SERIES SALL HOLE


• OTHER SIZE CAN BE PRODUCE BY CUSTOMER REQUEST.

ITEM	MESH SIZE (MM)	WEIGHT (G/M ²)	SIZE
LASR100-06535	65×35	100	1M×50M 4'×100'
LASR100-07040	70×40		
LASR110-06535	65×35	110	
LASR110-07040	70×40		
LASR120-06535	65×35	120	
LASR120-07040	70×40		
LASR140-06535	65×35	140	
LASR140-07040	70×40		
LASR160-06535	65×35	160	
LASR160-07040	70×40		
LASR230-07040	70×40	230	
LASR242-04025	40×25	242	
LASR160-07040H	70×40	160	
LASR200-07040H	70×40	200	

SR SERIES BIG HOLE

SR SERIES NEW

WIND BREAK FENCE

STEEL STAKE FOR SAFTY FENCE

DIAMETER(MM)	MESH SIZE (MM)
12	1100
12	1300
12	1500

• OTHER SIZE CAN BE PRODUCED AS CUSTOMER REQUEST


ITEM	MESH SIZE (MM)	WEIGHT (G/M ²)	SIZE
SR120-08065	80×65	120	1M×50M
SR120-10070	100×70		4'×100'
SR140-08065	80×65	140	1M×50M
SR140-10070	100×70		4'×100'
SR160-08065	80×65	160	1M×50M
SR160-010070	100×70		4'×100'

ITEM	MESH SIZE (MM)	WEIGHT (G/M ²)	SIZE
LASR090-06545	65×45	90	4'×100'
LASR125-10040	100×40	125	4'×100'
LASR195-04545	45×45	195	4'×100'
LASR340-05050	50×50	340	4'×100'
LASR340-06040	60×40	340	4'×100'
LASR140-06535W	65×35	140	1M×50M

ITEM	MESH SIZE (MM)	WEIGHT (G/M ²)	SIZE
LAWB320-02016	20×16	320	1M×50M
LAWB300-01006	10×6	300	1M×50M



BR SERIES




ITEM	MESH SIZE (MM)	WEIGHT (G/M ²)	SIZE
LABR080-10040	100×40	80	4'×100' 1M×50M
LABR090-10040	100×40	90	
LABR100-10040	100×40	100	
LABR110-10040	100×40	110	
LABR120-08040	80×40	120	
LABR140-08040	80×40	140	
LABR160-08040	80×40	160	
LABR200-08040	80×40	200	
LABR160-08040H	80×40	160	
LABR200-08040H	80×40	200	
LABR070-10026	100×26	70	
LABR080-10026	100×26	80	
LABR100-09026	90×26	100	
LABR110-09026	90×26	110	
LABR120-09026	90×26	120	
LABR140-07026	70×26	140	
LABR160-07026	70×26	160	
LABR280-08026	80×26	280	
LABR260-06040	60×40	260	
LABR340-06040	60×40	340	

• OTHER SIZE CAN BE PRODUCE BY CUSTOMER REQUEST.



SB SERIES



ITEM	MESH SIZE (MM)	WEIGHT (G/M ²)	SIZE
LASB110-10026	100×26	110	4'×100' 1M×50M
LASB120-10026		120	
LASB160-06626	66×26	160	
LASB210-04526	45×26	210	

• OTHER SIZE CAN BE PRODUCE BY CUSTOMER REQUEST.



FENCE POST AND ACCESSORIES

EURO PIPE POST/EURO BRACE POST.....	44
EURO D POST.....	45
SQUARE POST AND RECTANGLE POST.....	46
T POST AND L POST.....	47
STUDDED T POST U POST.....	48
MULTI POST/VINEYARD POST.....	49
Y POST.....	50
ALUMINUM POST CONNECTOR/FENCE ARM.....	51
POST BASE/POST CLAMPS/PANEL POST CLIP/I POST CLIP.....	52
STRETCHING BAR CLIP.....	53
FIXER/GATE WHEEL/FIX CLIPS/48MM RINGS/FIX TOOL/METAL ACCESSORIES.....	54
TENSION WIRE/FENCE KIT/FENCE STAPLE.....	55
TENSION BAR/WIRE STRAINER.....	56
FENCE TOOLS.....	57

EURO PIPE POST



- MADE OF CIRCULAR TUBE, GALVANIZED PIPE AND THEN POWDER COATED IN GREEN RAL6005.
- EURO PIPE POST WITH HOLDER OR WITHOUT HOLDER DEPEND ON CUSTOMERS' PACKING REQUEST.
- PACKING: IN CARTON OR ON PALLET

DIAMETER	WALL THICKNESS	LENGTH	WIRE HOLDER
		900MM	2
		1250MM	3
32MM	1.25MM	1500MM	3
34MM		1750MM	3
38MM	1.5MM	2000MM	3
40MM		2250MM	4
48MM		2500MM	4

WITHOUT WIRE HOLDER



WITH WIRE HOLDER

EURO BRACE POST



- MADE OF CIRCULAR STEEL TUBE. GALVANIZED PIPE AND THEN POWDER COATED IN GREEN RAL6005.
- PACKING: IN CARTON OR ON PALLET

DIAMETER(MM)	WALL THICKNESS(MM)	LENGTH(MM)
32		900MM
	1.25MM	1250MM
34		1500MM
	1.5MM	1750MM
38		2000MM
		2250MM
40		2500MM




TYPE 1




TYPE 2

EURO D POST





D 48



D 60



SIZE	WALL THICKNESS	LENGTH
DIA 48MM		1.2M
	1.3MM	1.5M
		1.8M
DIA 60MM	1.5MM	2.0M
		2.25M
	2.0MM	2.5M
		2.6M

- FINISHED AVAILABLE
 - 1.HOT DIPPED GALVANISED
 - 2.GALVANISED & POLYESTER POWDER COATED IN AN EXTENSIVE RANGE OF RAL COLOURS

II SQUARE POST AND RECTANGLE POST



- FINISHED AVAILABLE
- 1.HOT DIPPED GALVANISED
- 2.GALVANISED & POLYESTER POWDER COATED IN AN EXTENSIVE RANGE OF RAL COLOURS

SIZE	WALL THICKNESS	LENGTH
60×60MM	1.3MM	1.2M
		1.5M
60X40MM		1.8M
	1.5MM	2.0M
50X50MM		2.25M
		2.5M
		2.6M



PLASTIC SQUARE POST CLIP

AVAILABLE SIZE	
	50×50MM
	60×40MM
	60×60MM



METAL SQUARE POST CLIP

	AVAILABLE SIZE
CONNER CLAMP	50×50MM
MIDDLE CLAMP	60×40MM
EDGE CLAMP	60×60MM




STRONG TYPE PLASTIC CLIP

AVAILABLE SIZE	
	60×40MM



U BOLT CLIP

AVAILABLE SIZE	
	60×40MM



III T POST AND L POST



- EUROTYP T /L POST
- FINISHED AVAILABLE: HOT-DIP GALV.
POLYESTER POWDER COATED

T-POST	LENGTH(CM)	SIZE(MM)
	750	30×30×3.0
	100	30×30×3.0
	120	30×30×3.0
	145	30×30×3.0
	175	30×30×3.0
	200	30×30×3.0
	225	30×30×3.5
	250	30×30×3.5



BOTTOM




TOP



L-POST

LENGTH(CM)	SIZE(MM)
100	25×25×3.0
120	25×25×3.0
150	25×25×3.0
175	25×25×3.0
200	25×25×3.0
225	25×25×3.0



TOP FIX BARB WIRE CAN BE PROWED BY CUSTOMER REQUEST.



STUDDED T POST AND U POST



- USED FOR FENCING OF FARM,GARDEN, COMMERCIAL AND INDUSTRIAL SITES
- MADE OF RAIL STEEL
- WITH A RUGGED ANCHOR PLATE LOCKS, WHICH MAKES THE T POST FIRMER AND SUITABLE FOR ANY TYPE OF SOIL.
- WEATHER RESISTANT BY GREEN POWDER-COATING OR GREEN PAINTING.
- OTHER COLOR UPON REQUEST.

DESCRIPTION	LENGTH	PACKING
HEAVY DUTY, 1.33 POUNDS/FOOT	5 FEET	200 PIECES PER PALLET
	5.5 FEET	
MEDIUM DUTY, 1.25 POUNDS/FOOT	6 FEET	
	6.5 FEET	
LIGHT DUTY, 0.95 POUNDS/FOOT	7 FEET	
	8 FEET	



T POST CLIPS

T POST




- GREEN POLY-COATED FOR DURABILITY.
- POSTS CAN BE BOLTED TOGETHER FOR EXTRA SUPPORT
- SPECIAL CHANNEL CONSTRUCTION FOR MAXIMUM STRENGTH

DESCRIPTION	LENGTH	PACKING
LIGHT DUTY U FENCE POST, POLY GREEN	3 , 4 , 5 , 6 FEET	10PCS/BUNDLE, 200PCS/PALLET
HEAY DUTY U FENCE POST, POLY GREEN	5 , 6 , 7 , 8 FEET	5PCS/BUNDLE, 100PCS/PALLET

U POST



MULTI POST



DIA./LENGTH	PCS/BUNDLE
Ø8×1100 MM	25 PCS
Ø10×1100 MM	10 PCS
Ø10×1450 MM	10 PCS

- THE POSTS ARE MADE OF CONCRETE REINFORCEMENT RODS OF VARIOUS THICKNESSES,COATED WITH GREEN PRIMER AND EQUIPPED WITH A GREEN INSULATOR WIRE HOOK.
- COLORS RAL6005 (GREEN) AND RAL9010(WHITE) ARE BOTH AVAILABLE.


VINEYARD POST



- IT'S MADE BY ZINC PLATE SHEET, AND WIDELY USED IN VINEYARD
- PACKING : 200PCS/PALLET



THICKNESS	ZINC COATING	LENGTH	PACKING
1.2MM-1.5MM	60G-240G	1.0M-5.8M	ON PALLET



Y POST

- STEEL Y POSTS ARE MADE FROM HIGH-CARBON TENSILE STEEL FOR STRENGTH WHICH IS THEN HOT DIPPED IN BLACK BITUMEN FOR DURABILITY.THE PRE-DRILLED HOLES ON THE POST ALLOW EASY ATTACHMENT OF WIRE AND PRE-FABRICATED FENCING MATERIALS.
- STEEL Y POSTS ARE COMMONLY USED IN TEMPORARY FENCING AS THEY GO UP FAST, PROVIDING A QUICK BUT STRONG SECURITY BARRIER AROUND CONSTRUCTION SITES. STEEL Y POSTS PROVIDE A COST EFFECTIVE ALTERNATIVE TO TIMBER POSTS.
- HEAVY DUTY 2.04KG/M
COMMERCIAL DUTY 1.90KG/M
LIGHT DUTY 1.58KG/M
400PCS/PALLET
- FINISH: HOT DIP GALVANIZED
BLACK COATED




SAFETY CAPS



THE HEIGHT
45CM
60CM
90CM
120CM
135CM
150CM
165CM
180CM
210CM
245CM

FENCE POSTS HOLE SPACINGS CHART



150cm, 165cm and 180cm POSTS

210cm and 240cm POSTS

ALUMINUM POST CONNECTOR



	SIZE	POWDER COATED COLOR
	48MM+40MM	BLACK RAL9005
	60MM+40MM	GREEN RAL6005
	40MM+40MM	WHITE RAL9010
	34MM	GREY RAL7016
	40MM	ORIGINAL ALUMINUM COLOR

FENCE ARM



SINGLE ARM



Y ARM

SIZE
48MM
60MM

SIZE
48MM
60MM

- FINISHED: HOT DIP GALVANIZED RAL COLOR POWDER COATED
- PACKING: PALLET PACKING

POST BASE



METAL BASE
38MM



ALUMINUM D POST BASE
48MM



METAL ROUND POST BASE
38MM



D POST BASE
48MM



RECTANGLE BASE
60×40MM 60×60MM



POST BASE
38MM



METAL BASE
40×40MM

POST CLAMPS



CLAMP BAR 40MM



D POST CLAMP 48MM

PANEL POST CLIP



POST CLIP



METAL CLAMP 40×60MM



STRETCHING BAR CLIP



SIZE
34MM
40MM
48MM
60MM

BRACKET



SIZE
32MM
34MM
38MM
40MM
50MM
60MM

POST CAP



WIRE HOLDER



WIRE J CLIP



SEIFBREAK NUT



BRACE POST CAP



METAL ROUND POST CLIP



METAL ROUND POST CLIP



PIPE POST PLASTIC CLIP



D POST METAL CLIP

FIXER



GATE WHEEL



FIX CLIPS



48MM RINGS



FIX TOOL



METAL ACCESSORIES



TENSION WIRE



- GALVANIZED TENSION WIRE
2.0MM×50M
2.5MM×50M
2.7MM×50M
3.0MM×50M
- IN CARTON PACKING
- PVC COATED TENSION WIRE
1.5/2.4MM×50M
1.7/2.7MM×50M
2.0/3.0MM×50M
2.5/3.5MM×50M
- IN CARTON PACKING



FENCE KIT

- SHRINK PLASTIC WITH COLOR LABEL AND THEN CARTON PACKING, THEN ON PALLET.
- OR TIE TOGETHER WITH ONE ROLL FENCE, THEN ON PALLET TOGETHER.
- KIT 1: TENSION WIRE 1.7/2.7MM×100M 1PCS
BINDING WIRE 1.0/1.5MM×30M 1 PCS
GREEN WIRE STRAINER NO.2 8 PCS
- KIT 2: TENSION WIRE 1.4/2.4MM×51M 1PCS
BINDING WIRE 1.0/1.5MM×15M 1 PCS
GREEN WIRE STRAINER NO.2 4 PCS



FENCE STAPLE



BARB STAPLES



STAPLES




GENERALLY USED FOR ATTACHING WOVEN WIRE FENCE, WELDED FENCE AND BARBED TO WOODEN FENCE POSTS. ATTACHING POULTRY NET FENCING TO WOOD.

LENGTH (MM)	GAUGE (MM)	INCHXGAUGE
15	1.6	5/8×16
20	2	3/4×14
20	2.65	3/4×12
25	2.65	1×12
30	3.75	1-1/4×9
30	4	1-1/4×8
40	4	1-1/2×8
50	4	2×8
50	5	2×6

TENSION BAR

ROUND TENSION BAR



SIZE	
6×850MM	8×1550MM
6×1050MM	8×1800MM
6×1300MM	8×2000MM
6×1550MM	8×2400MM
6×1800MM	8×2700MM
6×2050MM	8×3000MM

FLAT TENSION STEEL



SIZE
20×1000MM
20×1200MM
20×1500MM
20×1800MM
20×2000MM
20×2200MM

PACKING:10 PCS/BUNDLE,THEN ON PALLET.

FINISH: GREEN POWDER COATED GALVANIZED

WIRE STRAINER

ENSURE THE TENSION OF THE WIRES WHEN ERECTING FENCES
ELECTRO GALVANIZED
HOT DIP GALVANIZED
GREEN POWDER COATED
DURABILITY PLASTIC COATED FOR SUPERIOR DURABILITY



STANDARD SIZE

SIZE	FINSH	PCS/CTN
NO.2	PLASTIC COATED	100PCS
NO.3	HOT DIPPED GALV.	100PCS
NO.4	ELECTRIC GALV.	50PCS

THE PACKING CAN BE FOLLOWED BY THE CUSTOMERS' REQUEST



OTHER AVAILABLE TYPE STRAINER MAYBE PRODUCED BY CUSTOMERS' REQUEST.






FENCE TOOLS

OUR PLIERS ARE SPECIAL FOR FENCE.

HOG RING PLIER CAN BE USED TO BARB WIRE FIX, RAZOR WIRE FIX AND CHAIN LINK FENCE FIX,EUROFENCE FIX.

C CLIP PLIER CAN BE USED TO EUROFENCE FIX ON D POST OR BABION BOX FZX.

NETTING CLIP PLIER CAN BE USED TO FIX THE DECO GABIONS,HEX NETTING, WELDED NETTING AND OTHERS DIY CAGE MADE

 HOG RING PLIER PACKING: ONE PCS ONE BLISTER FENCE STAPLE: OMEGA 16 AND OMEGA 20		 FENCEMATE HOG RING STAPLE
 HOG RING PLIER WITH LOADER PACKING: ONE PCS ONE BLISTER FENCE STAPLE: OMEGA 20		
 C CLIP PLIER PACKING: ONE PCS ONE BLISTER CLIP: STAINLESS STEEL C CLIP		 3.5×25MM 3.0×30MM STAINLESS STEEL C CLIP PACKING: 100PCS PER BLISTER 100 PCS PER BAG
 NETTING CLIP PLIER PACKING: ONE PCS ONE BLISTER CLIP: RING CLIPS 16MM AND 19MM		 2.0×16MM 2.0×19MM SIZE: 16MM 19MM PACKING: 100PCS PER BAG 500PCS PER BAG




ANCHOR

POLE ANCHOR/GROUND PLUG.....	59
GROUND SUPPORT/GROUND SOCKET.....	60-61
POLE TOP/POST DRIVER.....	62
ADJUSTABLE POLE ANCHOR/SCREW POLE ANCHOR.....	63
WOOD PILLAR/BICYCLE STAND/GROUND ANCHOR/WOOD PILLAR/ POST SUPPORT/BRACE POST SUPPORT/GROUND DIGGER/GARDEN CLAW.....	64

POLE ANCHOR

SIZE(MM)			THICKNESS OF PLATE	KG/PC
A	B	C		
71X71	350	200	2MM	1.45
91X91	350	200	2MM	1.80
101X101	350	200	2MM	2.00


- TYPE OF FINISH AVAILABLE: HOT-DIP GALVANIZED
ELECTRO GALVANIZED
RED PAINTED
- PACKING: ON PALLETS OR IN CARTONS
BESIDES THE ABOVE, WE ARE ALSO ABLE TO PRODUCE
ACCORDING TO CUSTOMERS' SIZE AND DRAWING



GROUND PLUG

SIZE(MM)			THICKNESS OF PLATE	KG/PC
A	B	C		
61X61	750	600	2MM	1.55
71X71	750	600	2MM	1.75
71X71	900	750	2MM	1.90
91X91	750	600	2MM	2.20
91X91	900	750	2MM	2.50
101X101	900	750	2.5MM	3.50
121X121	900	750	2.5MM	4.25
51X51	600	450	2MM	1.10
51X51	650	500	2MM	1.20
51X102	750	600	2MM	1.95
77X77	750	600	2MM	1.90
102X102	750	600	2MM	2.50


- SPECIFICATION AVAILABLE TYPE OF FINISH AVAILABLE:
HOT-DIP GALVANIZED
ELECTRO GALVANIZED
RED PAINTED
- PACKING: ON PALLETS OR IN CARTONS
BESIDES THE ABOVE, WE ARE ALSO ABLE TO PRODUCE
ACCORDING TO CUSTOMERS' SIZE AND DRAWING



GROUND SUPPORT

TYPE	SIZE(MM)					KG/PC
	A	B	C	D	E	
U	60	60	120	4	16×200	0.90
U	60	60	120	4	16×200	0.92
U	80	60	120	5	16×200	1.15
U	60	60	120	5	16×200	1.20
U	100	60	120	5	16×200	1.25
U	120	60	120	5	16×200	1.32
L	80	90	130	5	16×200	1.20

- TYPE OF FINISH AVAILABLE: HOT-DIP GALVANIZED
ELECTRO GALVANIZED
- PACKING: IN CARTONS




GROUND SOCKET

SIZE(MM)				KG/PC
A	B	C		
36	34	30		0.038

- TYPE OF FINISH AVAILABLE:
HOT-DIP GALVANIZED
ELECTRO GALVANIZED
- PACKING: ON PALLETS OR IN CARTONS

SIZE(MM)					KG/PC
A	B	C	D	E	
70	70	130	8	20×200	1.25
90	90	130	8	20×200	1.45



- TYPE OF FINISH AVAILABLE:
HOT-DIP GALVANIZED
ELECTRO GALVANIZED
- PACKING: IN CARTONS

SIZE(MM)			THICKNESS OF PLATE	KG/PC
A	B	C		
71×71	39	150	2MM	1.10
71×71	39	150	2.5MM	1.30
91×91	25	150	2MM	1.25
91×91	25	150	2.5MM	1.50
101×101	25	150	2MM	1.35
Ø81	39	150	2MM	1.10
Ø101	39	150	2MM	1.15


- TYPE OF FINISH AVAILABLE: HOT-DIP GALVANIZED
ELECTRO GALVANIZED
RED PAINTED/GREEN PAINTED
- PACKING: ON PALLETS OR IN CARTONS
BESIDES THE ABOVE, WE ARE ALSO ABLE TO PRODUCE
ACCORDING TO CUSTOMERS' SIZE AND DRAWING

SIZE(MM)			THICKNESS OF PLATE	KG/PC
A	B	C		
71	600	60	6MM	3.85
81	600	60	6MM	3.90
91	600	60	6MM	3.95
101	600	60	6MM	4.10
121	600	60	6MM	4.175
141	600	60	6MM	4.25

- SPECIFICATION AVAILABLE TYPE OF FINISH AVAILABLE:
HOT-DIP GALVANIZED ELECTRO GALVANIZED
- PACKING: ON PALLETS OR IN CARTONS

SIZE(MM)			THICKNESS OF PLATE	KG/PC
A	B	C		
71	160	200	5MM	1.25
81	170	200	5MM	1.30
91	180	200	5MM	1.35
101	190	200	5MM	1.40
121	210	200	5MM	1.50
141	230	200	5MM	1.60

- SPECIFICATION AVAILABLE TYPE OF FINISH AVAILABLE:
HOT-DIP GALVANIZED ELECTRO GALVANIZED
- PACKING: ON PALLETS OR IN CARTONS




POLE TOP



NAME	SIZE(MM)	WEIGHT	THICKNE OF PLATE
COPPER	91MM GOAL	410G	1.5MM
COPPER	71MM GOAL	240G	1.5MM
STAINLESS STEEL	91MM GOAL	175G	1.0MM
STAINLESS STEEL	71MM GOAL	200G	1.5MM
SQUARE CROWN(FRONT)	91x91MM	90G	0.8MM
SQUARE CROWN(FRONT)	71x71MM	60G	0.8MM
ACUATE CROWN(FRONT)	91x91MM	150G	1.2MM
ACUATE CROWN(FRONT)	71x71MM	103G	1.2MM
ROUND CROWN(FRONT)	71x71MM	88G	1.2MM
BACK HOT DIP COATING	91MM GOAL	390G	1.5MM
BACK HOT DIP COATING	71MM GOAL	230G	1.5MM
BACK HOT DIP COATING	71MM ACUATE CROWN	57G	0.8MM
BACK HOT DIP COATING	91MM ACUATE CROWN	90G	0.8MM

POST DRIVER



ADJUSTABLE POLE ANCHOR

SIZE(MM)	WEIGHT	THICKNE OF PLATE
78.74x745.5MM	2.0KG	2.0MM
78.74x895.5MM	2.2KG	2.0MM
78.74x745.5MM	1.98KG	2.0MM
78.74x895.5MM	2.18KG	2.0MM



SIZE(MM)	WEIGHT	THICKNE OF PLATE
75x150MM	1.15KG	2.0/3.0MM
75x750MM	1.9KG	2.0MM
101x850MM	2.4KG	2.0MM
75x350MM	1.5KG	2.0MM



SCREW POLE ANCHOR



- HOT DIP GALVANIZED AFTER
- DIAMETER ADJUST RINGS : 25, 38, 40, 50, 55 MM
- LENGTH 570MM
- OUTSIDE DIA 72MM
- INNER DIA 67MM
- HOT DIP GALVANIZED AFTER
- DIAMETER ADJUST RINGS: 26, 36, 42, 50, 55 MM
- LENGTH 565 MM
- OUTSIDE DIA 68 MM
- INNER DIA 64 MM,


INCLUDE	PACKING
1 x SCREW ANCHOR	2PCS / CARTON
5 x DIAMETER RINGS	4PCS/ CARTON
1 x HAND BAR	
1 x FASTEN SCREW	




WOOD PILLAR



BICYCLE STAND



GROUND ANCHOR



BRACE POST SUPPORT




POST SUPPORT



34MM


GARDEN CLAW



GROUND DIGGER



	LENGTH(MM)	WIDTH(MM)	DEPTH(MM)
	985	150	260
	985	200	260
	850	100	235
	1150	100	200



CLAMPS

CLAMPS.....66-68

CLAMPS

- APPLICATION: HAND RAILING, SAFETY GUARDRAILS, FENCING, PLAYGROUND EQUIPMENT, SHOP FITTING, MILKING PARLOURS, RACKING, SPORTS PRACTICE NETS, GREENHOUSES, EXHIBITION STANDS, ROOF TOP FALL PREVENTION, PEDESTRIAN BARRIERS AND WHEELCHAIR ACCESS RAMPS, ETC.
- MATERIAL GRADE: BS EN 1562 1997 BLACK HEART MALLEABLE IRON
- SURFACE TREATMENT: BS EN 1461 1999 HOT DIP ZINC GALVANIZATION
IRAM 1451-3:1995 EPOXY COATING
DACROMAT TWO LAYERS
- THREAD: BS 2779: 1986 1/4", 3/8"
- GRUB SCREW: DIN 916
- WEIGHT MODEL: LIGHT, MEDIUM, HEAVY
- PACKING: CARTONS AND PALLETS
- CHEMICAL COMPOSITION:

SPECIFIED	C	Si	Mn	P	S	Cr	Ni	Mo	Cu	N	V	Co	Ti
VALUES %	2.4-2.9	1.4-1.9	0.4-0.65	<0.1	<0.2%								

- MECHANICAL PROPERTIES:

SPECIFIED	Rm (MPa)	Rp0.2 (MPa)	A5X10 (%)	J (-46C)	HB	%
VALUES	Tensile strength	Limit of elasticity	Elongation	Charpy Impaction	Brinell Hardness	Ferrite Percentage
	>=330mpa		>=8%		<=150HB	

- ITEM LIST:

101	SHORT TEE	139	GATE HIINGE PIN	167M	DOUBLE SWIVEL M
104	LONG TEE	143	HANDRAIL BRACKET	168	CORNER DOUBLE SWIVEL
116	THREE WAY THOURGH	144	SIDE SUPPORT VERTICAL	168M	CORNER DOUBLE SWIVEL M
119	TWO SOCKET CROSS	145	SIDE SUPPORT HORIZONTAL	169	SWIVEL LOCATING FLANGE
124	VARIABLE ELBOW	146	SIDE PALM FIXING	173	SINGLE SWIVEL
125	TWO WAY ELBOW	147	INTERNAL SWIVEL TEE	167M	SINGLE SWIVEL MALE
128	THREE WAY ELBOW	148	SWIVEL SHORT TEE	167F	SINGLE SWIVEL FEMALE
129	ADJUSTABLE SHORT TEE	149	SLEEVE JOINT	176	SIDE OUTLET TEE
130	ADJUSTABLE CROSS	150	EXPANDING JOINT	179	LOCKING RING
131	BASE FLANGE	158	FOUR WAY CROSS	182	HOOK
132	RAILLING BASE FLANGE	160	CLAMP-ON CROSSOVER	185	EAVES FITTING
134	GROUND SOCKET	161	CROSSOVER	192	WEATHER COWL
135	CLAMP ON TEE	165	TEE & CROSSOVER	198	DOUBLE LUGGED BRACKET
138	GATE EYE	167	DOUBLE SWIVEL	199	SINGLE LUGGED BRACKET



101
SHORT TEE



104
LONG TEE



116
3 CORNER
CENTRE TUBE



161
CROSSOVER



143
HANDRAIL
WALL BRACKET



185
EAVES FITTING
27.5 DEGREES



176
SIDE OUTLET TEE



125
90 DEGREE ELBOW



119
TWO SOCKET
CROSS (MIDDLE)



165
COMBINED TEE
AND CROSSOVER



128
CORNER (TOP RAIL)



167
DOUBLE SWIVEL
CONNECTION

CLAMPS



179
LOCKING RING



130
ADJUSTABLE CROSS



158
CENTRE CROSS



169
SWIVEL WALL FIXING



135
CLAMP-ON TEE
(1 BOLT)



146
SIDE PALM




149
EXTERNAL SLEEVE JOINT



SPORT NET

BADMINTON NET/BASKETBALL NET/FOOTBALL NET.....	70
BEACH-VOLLEYBALL NET/TENNIS NET.....	71

|| BADMINTON NET



- MESH SIZE 25MM × 25MM, SIZE 20 × 2.5, SQUARE MESH.
- PE, DIAMETER 0.8MM, 380D/6PLY
- PA, DIAMETER 210D/9PLY, 210D/24PLY
- INCLUDING KNOTTED AND KNOTLESS
- COLOR, BLACK AND RED BROWN
- ALSO CAN PRODUCE AS CUSTOMERS NEEDED.

|| BASKETBALL NET



- PP, 12ML×21 "(53.3MM×7 +160 MM)
- DIAMETER 4.0MM
- COLOR, WHITE AND OTHERS

|| FOOTBALL NET




- PE, SIZE 24' × 8' × 4' × 10', MESH SIZE 127MM × 127MM, SQUARE MESH.
- DIAMETER 2.0MM, 2.5MM, 3.0MM, 4.0MM
- HEXAGON MESH, PE, DIAMETER 2.0MM, 3.0MM
- HEXAGON MESH, POLYESTER, DIAMETER 3.0MM, 4.0MM



FUTSAL NET

- PE, SIZE 10' × 6.6' × 2.75' × 3.3',
 MESH SIZE 127MM × 127MM, SQUARE MESH.
- DIAMETER 2.0MM, 2.5MM
- COLOR, WHITE, ORANGE AND SO ON
- ALSO AS CUSTOMER'S NEEDED.

|| BEACH-VOLLEYBALL NET



- PE, SIZE 26×3 (8×0.92M), MESH SIZE 100MM×100MM,
 SQUARE MESH.
- DIAMETER 1.8MM, ALSO CAN AS CUSTOMERS NEEDED.
- COLOR, BLACK, BLUE, PINK AND SO ON

|| TENNIS NET (BLACK)



- PE, SIZE 12.8M × 1.07M, MESH SIZE 45MM×45MM,
 SQUARE MESH,
- DIAMETER 2.0MM, 2.5MM, 3.0MM
- INCLUDE BRAIDED AND TWISTED.