



PROTECTION SYSTEM FENCE SOLUTION



Your fence partner



LANOVA TRADE (HEBEI) CO.,LTD

Add: Room 1516, Block B, Century centre Building, NO 363, Tiyu
South Street, Shijiazhuang, Hebei, China


Tel: 0086-311-69025506

Fax: 0086-311-83078840

Email: info@lanovatech.com , lanova@foxmail.com

Web: www.lanovatech.com

LANOVA TRADE (HEBEI) CO.,LTD



ABOUT US

Lanova Trade (Hebei)Co.,Ltd has been a professional supplier in Fence products and hardware products for many years. Garden outdoor gate, fence,post,panels and ground anchor are main products. We have a large-scale modernized factory,professional team,scientific management system,all of which have guaranteed us the leading position in fence field, and our products are sold well in America,Europe and Australia.

Lanova relies on enterprise spirit that"focus, professional, innovation, customer first, sustainable development.". We insist that "High quality is company's greatest repayment;satisfaction of customer is ultimate aim of company". We devote to help our customers to be the best in their own market with our most competitive products and best service.

Lanova is proud of its young well trained team, that is full of ambition, and creativity, and We cordially welcome in and abroad customers to consult business with us for joint development.





- OUR FENCE AND GATE PRODUCTS ARE WELDED BY GALVANIZED WIRE AND TUBE. THEN USE ELECTROSTATIC SPRAYING FOR SURFACE TREATMENT. THE RAL COLOR CAN BE CHOSED BY CUSTOMER. OUR AUTOMATIC AND MADERNIZATION POWDER COATING LINE CAN MAKE THE POWDER LAYER MORE ADHENSIVE ON THE METAL SURFACE AND MAKE THE SURFACE MORE SMOOTH AFTER COATED. THE DIMENSION IS AVAILABLE BY CUSTOMER REQUEST. HOT DIP GALVANIZED IS ALSO AVAILABLE BY CUSTOMER REQUEST.

- RECOMMENDED FOR PROFESSIONAL FENCING OF:

- PLAYGROUNDS
- PARKS
- OFFICE BUILDINGS
- PUBLIC BUILDINGS
- SPORTS FACILITIES
- PRIVATE PROPERTIES

RAL COLOR CAN BE COATED AS CUSTOMER REQUEST



CONTENTS

RAZOR FENCE AND FENCE SPIKE.....	01-12
OUTDOOR GATE.....	13-22
PANEL FENCE.....	23-35
POST AND ACCESSORIES.....	36-50
MESH FENCE.....	51-60
ANCHOR.....	61-65



RAZOR FENCE AND FENCE SPIKE

RAZOR FENCE.....	2-3
RAZOR WIRE.....	4-5
FENCE SPIKE.....	6-7
RAZOR BARRIER.....	8-9
SPIKE FENCE/RAZOR RIBBON.....	10
WARNING SIGN / FIX TOOLS AND ACCESSORIES.....	11-12
BARBED WIRE.....	13

◆ RAZOR FENCE

FLAT RAZOR WIRE

- FLAT RAZOR BARBED WIRE IS PRESSED THE SINGLE LOOP RAZOR BARBED WIRE INTO FLAT, OR PRESS TWO LOOPS INTO FLAT THEN EXPAND THEM ACROSS. WE USUALLY USE IT TOGETHER WITH BEENLINE RAZOR BARBED WIRE TO BUILD A DEFENCING WALL, OR USE IT ALONE AS A FENCE.
- OTHER SIZE CAN BE PRODUCE AS CUSTOMER REQUEST.


ITEM	DIA(MM)	LENGTH(M)
BTO-22	500	15
	600	15
BTO-30	700	15
	900	15

- MATERIAL:
HOT DIP GALVANIZED OR STAINLESS STEEL 304 OR COLOR COATED



WELDED RAZOR WIRE PANEL

- WELDED RAZOR WIRE MESH IS THE BASE MATERIAL FOR THIS HIGH SECURITY FENCING SYSTEM. IT IS MADE WITH GALVANIZED STEEL RAZOR WIRE WELDED TOGETHER TO FORM A FLAT SURFACE PANEL. THE RAZOR BLADE WILL EFFECTIVELY STOP INTRUDERS FROM ENTERING. WELDED RAZOR WIRE SHEET OR PANEL IS USED FOR HIGH GRADE SECURITY FENCING OF AIRPORTS, MILITARY BASES, WATER SUBSTATION, THE BORDER FENCE, OIL DEPOTS, FACTORIES, RESIDENCES, PRISONS AND SO ON.
- IT IS EXTREMELY ANTI-CLIMBING;
- AND THE RAZOR PANEL HAS HIGH-STRENGTH STEEL CORE VERY DIFFICULT TO CUT OFF;
- IT'S POWERFUL SECURITY FENCING;THE BLADE HAS FRIGHTENING EFFECT;
SIMPLE TO INSTALL AND FIXING





ITEM	TYPE	MESH	RAZOR TYPE	HEIGHT	WIDTH	PACKING
	DIAMOND	150X75MM	BTO-10	1.2M	2.5M	ROLLS OR PALLET
		300X150MM		1.8M		
	SQUARE	100X100MM	BTO-22	2.0M	6.0M	
		100X150MM	BTO-30	2.4M		
		150X150MM				



◆ RAZOR WIRE

- RAZOR WIRE IS A TYPE OF FENCING USUALLY USED IN SECURITY APPLICATIONS,OR TO PREVENT EXTREMELY STUBBORN FROM ESCAPING. IT IS SIMILAR TO BARBED WIRE IN CONSTRUCTION, BUT FEATURES SHARP RAZOR LIKE SHAPES CUT FROM STEEL TAPE.



REFERENCE NUMBER	BLADE STYLE	THICKNESS	WIRE DIA	BLADE LENGTH	BLADE WIDTH	BLADE SPACING
BTO-10		0.5±0.05	2.5±0.1	10±1	13±1	26±1
BTO-12		0.5±0.05	2.5±0.1	12±1	15±1	26±1
BTO-15		0.5±0.05	2.5±0.1	15±1	15±1	33±1
BTO-22		0.5±0.05	2.5±0.1	22±1	22±1	34±1
BTO-30		0.5±0.05	2.5±0.1	30±1	18±1	46±1
BTO-60		0.6±0.05	2.5±0.1	60±2	21±1	100±2
BTO-65		0.6±0.05	2.5±0.1	65±2	21±1	100±2



COIL DIAMETER	NO.OF LOOPS	STANDARD LENGTH PER COIL	TYPE	NOTES
450MM	33	7-8M	CBT-60.65	SINGLE COIL
500MM	41	9-10M	CBT-60.65	SINGLE COIL
500MM	56	12-13M	CBT-60.65	SINGLE COIL
700MM	56	13-14M	CBT-60.65	SINGLE COIL
450MM	56	8-9M(3 CLIPS)	BTO-15.22.30	CROSS TYPE
500MM	56	9-10M (3 CLIPS)	BTO-15.22.30	CROSS TYPE
600MM	56	10-11M(3 CLIPS)	BTO-15.22.30	CROSS TYPE
700MM	56	10-12M (5 CLIPS)	BTO-15.22.30	CROSS TYPE
900MM	56	12-14M (5 CLIPS)	BTO-15.22.30	CROSS TYPE
960MM	56	13-15M (5 CLIPS)	BTO-15.22.30	CROSS TYPE
980MM	56	14-16M (5 CLIPS)	BTO-15.22.30	CROSS TYPE

- THE LENGTH AND WIRE DIAMETER CAN BE MADE ACCORDING TO CUSTOMERS' REQUEST.
- CORE WIRE MATERIAL: GALVANIZED WIRE AND STAINLESS STEEL WIRE.
- BLADE MATERIAL: GALVANIZED SHEET AND STAINLESS STEEL PLATE.
- PACKING: CARTON OR WATER PROOF PAPER PACK.

- SPECIAL RAZOR WIRE CAN BE PRODUCES AS CUSTOMER REQUEST.



◆ FENCE SPIKE


- WALL SPIKE SYSTEM IS A VERY COST EFFECTIVE SOLUTION TO PREVENTING INDIVIDUALS FROM RAIL FENCES, WALLS, GATES FOR FAMILY SECURITY, BORDER SECURITY, PUBLIC SECURITY.
- THE SYSTEM WHICH CAN BE RAPIDLY INSTALLED TO EXISTING STRUCTURES CAN MAXIMISE YOUR SITES SECURITY WITH EASE.



FENCE SPIKE / WALL SPIKE

ITEM	PICTURE	LENGTH	PACKING
LIGHT DUTY		1.00M 1.25M 1.50M 2.00M 2.50M	CARTON WOODEN CASE PALLET
LIGHT DUTY PLUS			
MEDIUM DUTY			
HEAVY DUTY 3D			
HEAVY DUTY 3DA			
HEAVY DUTY 2D			

- MATERIAL: HOT DIP GALVANIZED STEEL OR STAINLESS STEEL 304 OR COLOR COATED



◆ BARB SPIKE



- GALVANIZED INSIDE AND POWDER COATED
1.25M LENGTH
AND OTHER SIZE CAN BE PRODUCED AS CUSTOMER REQUEST

◆ STRAIGHT CUT RAZOR WIRE




- HOT DIP GALVANIZED OR STAINLESS STEEL CAN BE PRODUCED AS REQUEST.

ITEMS	LENGTH	PACKING
BTO-10	1.2M 1.5M	50PCS/BUNDLE THEN ON PALLET
BTO-22		
BTO-30		
CBT-65	1.8M 2.0M 2.5M	

◆ RAZOR BARRIER

MOBILE SECURITY BARRIERS- I


- SPECIFICATIONS: MOBILE RAZOR WIRE SECURITY BARRIERS BTO-22
- MATERIAL: GALVANIZED STEEL SHEET AND WIRE, OR STAINLESS STEEL SHEET AND WIRE
- FEATURES:
 - 1.STRONG PROTECTION
 - 2.EXCELLENT INTIMIDATION ABILITY
 - 3.EASY TO INSTALL
 - 4.LONG LIFE
- SHAPE: COIL TYPE



- USAGES: CURRENTLY,BARBED TAPE HAS BEEN WIDELY USED BY MANY COUNTRIES IN MILITARY FIELD,PRISON AND DETENTION HOUSES, GOVERNMENT BUILDINGS AND OTHER ANTIONAL SECURITY FACILTLES.
 1. DIAMETER OF CIL: 450MM OR 900MM
 2. THE LENGTH OF THE BARRICADE MINIMUM:100METERS
 3. THE WIDTH OF THE BARRICADE:1.35M
 4. HIGH BARRICADES: 1.8M
 5. THE DISTANCE BETWEEN CLIPS: 20CM

MOBILE SECURITY BARRIERS- II

- SPECIFICATIONS: MOBILE RAZOR WIRE SECURITY BARRIERS BTO-22
- MATERIAL: GALVANIZED STEEL SHEET AND WIRE, OR STAINLESS STEEL SHEET AND WIRE
- FEATURES:
 - 1.STRONG PROTECTION
 - 2.EXCELLENT INTIMIDATION ABILITY
 - 3.EASY TO INSTALL
 - 4.LONG LIFE
- SHAPE: COIL TYPE




- USAGES: CURRENTLY,BARBED TAPE HAS BEEN WIDELY USED BY MANY COUNTRIES IN MILITARY FIELD,PRISON AND DETENTION HOUSES, GOVERNMENT BUILDINGS AND OTHER ANTIONAL SECURITY FACILTLES.
 1. DIAMETER OF CIL: 450MM OR 900MM
 2. THE LENGTH OF THE BARRICADE MINIMUM:100 METERS
 3. THE WIDTH OF THE BARRICADE:1.35M
 4. HIGH BARRICADES: 1.8M
 5. THE DISTANCE BETWEEN CLIPS: 20CM



MOBILE SECURITY BARRIERS-III

- SPECIFICATIONS: MOBILE RAZOR WIRE SECURITY BARRIERS BTO-22
- MATERIAL: GALVANIZED STEEL SHEET AND WIRE, OR STAINLESS STEEL SHEET AND WIRE
- FEATURES:
 - 1.STRONG PROTECTION
 - 2.EXCELLENT INTIMIDATION ABILITY
 - 3.EASY TO INSTALL
 - 4.LONG LIFE
- SHAPE: COIL TYPE



- USAGES: CURRENTLY,BARBED TAPE HAS BEEN WIDELY USED BY MANY COUNTRIES IN MILITARY FIELD,PRISON AND DETENTION HOUSES, GOVERNMENT BUILDINGS AND OTHER ANTIONAL SECURITY FACILTLES.
 1. DIAMETER OF CIL: 450MM OR 900MM
 2. THE LENGTH OF THE BARRICADE MINIMUM:100 METERS
 3. THE WIDTH OF THE BARRICADE:1.35M
 4. HIGH BARRICADES: 1.8M
 5. THE DISTANCE BETWEEN CLIPS: 20CM

◆ SPIKE FENCE



SPIKE FENCE



FENCE SPIKE

◆ RAZOR RIBBON



RAZOR TYPE	MATERIAL	LENGTH	PACKING
BTO-10	STAINLESS STEEL	100M	WRAP THE
BTO-22		200M	
BTO-30	HOT DIP GALVANIZED	300M	WATERPROOF PATER THEN INTO CARTON
BTO-60		400M	
BTO-65		500M	



◆ WARNING SIGN

- IT'S ONE IMPORT PART FOR WARNING PEOPLE NOT CLOSED TO THIS FENCE.
- CAN BE PRODUCED WITH ALUMINUM MATERIAL OR PLASTIC MATERIAL, AND SURFACE IS REFLECTING MATERIAL.
- THE DIMENSION CAN BE MADE BY CUSTOMER REQUEST .A4 OR A3 SIZE.



◆ FIX TOOLS AND ACCESSORIES

CLIP TOOL



TIE WIRE



WIRE AND TENSIONER



POST FIXER



FENCE ARM



FENCE STAPLE



FENCE CLIPS AND CLIP TOOLS



◆ BARBED WIRE

- WIRE MATERIALS:
GALVANIZED STEEL WIRE,
PVC COATED WIRE.
- GENERAL USE:
BARBED WIRE IS MAINLY USED IN
PROTECTING GRASS BOUNDARY,
RAILWAY, AND HIGHWAY, ETC.
- PACKING: BULK OR ON PALLET
- THE OTHER SIZE MAY BE AVAILABLE BY
CUSTOMERS' REQUEST.



IOWA TYPE



MOTTO TYPE



TYPE		WIRE GAUGE		BARB DISTANCE	BARB LENGTH
ELECTRO GALVANIZED HOT-DIP GALVANIZED	BWG10 X BWG12		7.5-15CM	1.5-3CM	
	BWG12 X BWG12				
	BWG12 X BWG14				
	BWG14 X BWG14				
	BWG14 X BWG16				
	BWG16 X BWG16				
	BWG16 X BWG18				
BWG17 X BWG17					
PVC COATED PE COATED	BEFORE COATED	AFTER COATED	7.5-15CM	1.5-3CM	
	1.0MM-3.5MM BWG11-20	1.4MM-4.0MM BWG8-17			

PVC PE COATING THICKNESS: 0.4MM-0.6MM;
DIFFERENT COLORS OR LENGTH ARE AVAILABLE AT CUSTOMERS' REQUEST.



OUTDOOR GATE

SQUARE PIPE GATE.....	15
ROUND PIPE GATE.....	16
ECO GATE/PROMO GATE/PANEL GATE.....	17
BAR GATE/DECO GATE.....	18
CHAIN LINK FENCE GATE/JUNGLE GAT.....	19
INDUSTRY GATE.....	20
GATE ACCESSORIES.....	21-22

◆ SQUARE PIPE GATE

SINGLE SWING GATE



HEIGHT(MM)	WIDTH(MM)	MESH(MM)	FRAME(MM)	GATE POST(MM)
1000	1000	50×50×4.0	40×40×1.5	60×60×1.5
1250	1000	50×50×4.0	40×40×1.5	60×60×1.5
1500	1000	50×50×4.0	40×40×1.5	60×60×1.5
1750	1000	50×50×4.0	40×40×1.5	60×60×1.5
2000	1000	50×50×4.0	40×40×1.5	60×60×2.0



DOUBLE SWING GATE




HEIGHT(MM)	WIDTH(MM)	MESH(MM)	FRAME(MM)	GATE POST(MM)
1250	3000(2×1500)	50×50×4.0	40×40×1.5	60×60×1.5
1500	3000(2×1500)	50×50×4.0	40×40×1.5	60×60×1.5
1750	3000(2×1500)	50×50×4.0	40×40×1.5	60×60×2.0
2000	3000(2×1500)	50×50×4.0	40×40×1.5	60×60×2.0
1250	4000(2×2000)	50×50×4.0	40×40×1.5	60×60×2.0
1500	4000(2×2000)	50×50×4.0	40×40×1.5	60×60×2.0
1750	4000(2×2000)	50×50×4.0	40×40×1.5	60×60×2.0
2000	4000(2×2000)	50×50×4.0	40×40×1.5	60×60×2.0

◆ ROUND PIPE GATE




SINGLE SWING GATE

HEIGHT(MM)	WIDTH(MM)	MESH(MM)	FRAME(MM)	GATE POST(MM)
1000	1000	50×50×4.0	40×1.5	60×1.5
1250	1000	50×50×4.0	40×1.5	60×1.5
1500	1000	50×50×4.0	40×1.5	60×1.5
1750	1000	50×50×4.0	40×1.5	60×1.5
2000	1000	50×50×4.0	40×1.5	60×1.5



DOUBLE SWING GATE

HEIGHT(MM)	WIDTH(MM)	MESH(MM)	FRAME(MM)	GATE POST(MM)
1250	3000(2×1500)	50×50×4.0	40×1.5	60×1.5
1500	3000(2×1500)	50×50×4.0	40×1.5	60×1.5
1750	3000(2×1500)	50×50×4.0	40×1.5	60×1.5
2000	3000(2×1500)	50×50×4.0	40×1.5	60×1.5
1250	4000(2×2000)	50×50×4.0	40×1.5	60×2.0
1500	4000(2×2000)	50×50×4.0	40×1.5	60×2.0
1750	4000(2×2000)	50×50×4.0	40×1.5	60×2.0
2000	4000(2×2000)	50×50×4.0	40×1.5	60×2.0



◆ ECO GATE



HEIGHT(MM)	WIDTH(MM)	MESH(MM)	FRAME(MM)	GATE POST(MM)
1000	1000	200×50×4.0	32×1.3	48×1.5
1200	1000	200×50×4.0	32×1.3	48×1.5
1500	1000	200×50×4.0	32×1.3	48×1.5

◆ PROMO GATE



HEIGHT(MM)	WIDTH(MM)	MESH(MM)	FRAME(MM)	GATE POST(MM)
1000	1000	100×50×4.0	40×1.3	48×1.5
1200	1000	100×50×4.0	40×1.3	48×1.5
1500	1000	100×50×4.0	40×1.3	48×1.5

◆ PANEL GATE



HEIGHT(MM)	WIDTH(MM)	MESH(MM)	FRAME(MM)	GATE POST(MM)
1000	1000	200×50×6/5/6	40×40×1.5	60×60×1.5
1200	1000	200×50×6/5/6	40×40×1.5	60×60×1.5
1500	1000	200×50×6/5/6	40×40×1.5	60×60×1.5
1800	1000	200×50×6/5/6	40×40×1.5	60×60×1.5
2000	1000	200×50×6/5/6	40×40×1.5	60×60×1.5

◆ BAR GATE

NEIGHBOR BAR DISTANCE 110MM.

HEIGHT(MM)	WIDTH(MM)	MESH(MM)	FRAME(MM)	GATE POST(MM)
1000	1000	20×20×1.0	40×40×1.5	60×60×1.5
1250	1000	20×20×1.0	40×40×1.5	60×60×1.5
1500	1000	20×20×1.0	40×40×1.5	60×60×1.5
1750	1000	20×20×1.0	40×40×1.5	60×60×1.5
2000	1000	20×20×1.0	40×40×1.5	80×80×2.0
1250	3000(2×1500)	20×20×1.0	40×40×1.5	60×60×1.5
1500	3000(2×1500)	20×20×1.0	40×40×1.5	60×60×1.5
1750	3000(2×1500)	20×20×1.0	40×40×1.5	80×80×2.0
2000	3000(2×1500)	20×20×1.0	40×40×1.5	80×80×2.0



BARB TOP TYPE

◆ DECO GATE




HEIGHT(MM)	WIDTH(MM)	MESH(MM)	FRAME(MM)	GATE POST(MM)
1000	1000	200×50×6/5/6	40×40×1.5	60×60×1.5
1200	1000	200×50×6/5/6	40×40×1.5	60×60×1.5
1500	1000	200×50×6/5/6	40×40×1.5	60×60×1.5
1800	1000	200×50×6/5/6	40×40×1.5	60×60×1.5


◆ CHAIN LINK FENCE GATE

SINGLE SWING GATE

HEIGHT(MM)	WIDTH(MM)	MESH(MM)	FRAME(MM)	GATE POST(MM)
1000	1000	50X50X2.7	40X1.3	60X1.5
1250	1000	50X50X2.7	40X1.3	60X1.5
1500	1000	50X50X2.7	40X1.3	60X1.5
1750	1000	50X50X2.7	40X1.3	60X1.5
2000	1000	50X50X2.7	40X1.3	60X1.5



DOUBLE SWING GATE



HEIGHT(MM)	WIDTH(MM)	MESH(MM)	FRAME(MM)	GATE POST(MM)
1000	3000/4000	50X50X2.7	40X1.3	60X1.5
1250	3000/4000	50X50X2.7	40X1.3	60X1.5
1500	3000/4000	50X50X2.7	40X1.3	60X1.5
1750	3000/4000	50X50X2.7	40X1.3	60X1.5
2000	3000/4000	50X50X2.7	40X1.3	60X1.5



◆ JUNGLE GATE



HEIGHT(MM)	WIDTH(MM)	BAR(MM)	GATE POST(MM)	FRAME(MM)
1000	1000	20X1.2	60×60×1.5	40×40×1.5
1200	1000	20X1.2	60×60×1.5	40×40×1.5
1500	1000	20X1.2	60×60×1.5	40×40×1.5
1800	1000	20X1.2	60×60×1.5	40×40×1.5

◆ INDUSTRY GATE



DOUBLE WINGS GATE


HEIGHT X WIDTH (MM)	WING FRAME (MM)	UPRIGHT BAR SIZE (MM)	GATE POST (MM)
1000X3000	50X50X1.5	25X25X1.2	80X80X2.0
1250X3000	50X50X1.5	25X25X1.2	80X80X2.0
1500X3000	50X50X1.5	25X25X1.2	80X80X2.0
1750X3000	50X50X1.5	25X25X1.2	80X80X2.0
2000X3000	50X50X1.5	25X25X1.2	80X80X2.0
1000X4000	50X50X1.5	25X25X1.2	80X80X2.0
1250X4000	50X50X1.5	25X25X1.2	80X80X2.0
1500X4000	50X50X1.5	25X25X1.2	80X80X2.0
1750X4000	50X50X1.5	25X25X1.2	80X80X2.0
2000X4000	50X50X1.5	25X25X1.2	80X80X2.0
1000X5000	50X50X1.5	25X25X1.2	100X100X2.5
1250X5000	50X50X1.5	25X25X1.2	100X100X2.5
1500X5000	50X50X1.5	25X25X1.2	100X100X2.5
1750X5000	50X50X1.5	25X25X1.2	100X100X2.5
2000X5000	50X50X1.5	25X25X1.2	100X100X2.5
1000X6000	50X50X1.5	25X25X1.2	100X100X2.5
1250X6000	50X50X1.5	25X25X1.2	100X100X2.5
1500X6000	50X50X1.5	25X25X1.2	100X100X2.5
1750X6000	50X50X1.5	25X25X1.2	100X100X2.5
2000X6000	50X50X1.5	25X25X1.2	100X100X2.5

◆ GATE ACCESSORIES

 LAGA-0001	SQUARE CAP 60X60MM 80X80MM 100X100MM	 LAGA-0007	PLASTIC HANDLE	 LAGA-0013	HINGE RING
 LAGA-0002	ROUND CAP 48MM 60MM 75MM	 LAGA-0008	HANDLE RING	 LAGA-0014	HINGE BOLT M16 M18 M24
 LAGA-0003	GATE POST CLAMPS 48MM 60MM	 LAGA-0009	HANDLE STEEL	 LAGA-0015	COMMON LOCK + THREE KEYS
 LAGA-0004	HINGERS CAP M12	 LAGA-0010	STEEL HINGE M12 M16 M20 M24	 LAGA-0016	COPPER CORE LOCK + THREE KEYS
 LAGA-0005	ALUMINUM HANDLE	 LAGA-0011	STEEL HINGE M12	 LAGA-0017	LOCK CYLINDER
 LAGA-0006	ALU SILVER HANDLE	 LAGA-0012	STAINLESS STEEL HINGE M12	 LAGA-0018	STEEL

 LAGA-0019	PLASTIC	 LAGA-0025	NEW LOCK SET	 LAGA-0031	ECO GATE LOCK
 LAGA-0020	DROP BOLT	 LAGA-0026	GATE WHEEL	 LAGA-0032	GATE PROTECTION CORNER
 LAGA-0021	DROP BOLT	 LAGA-0027	SCREW BOLT	 LAGA-0033	ALU HANDLE
 LAGA-0022	GATE SET	 LAGA-0028	HINGE BOLT M16 M20	 LAGA-0034	FARM GATE HINGE SET
 LAGA-0023	WOODEN PILLAR HINGE	 LAGA-0029	HINGE BOLT M16	 LAGA-0035	FARM GATE HINGE
 LAGA-0024	PILLAR RING	 LAGA-0030	L SCREW TOOLS	 LAGA-0036	WOODEN POLE HINGE

◆ FARM GATE




TYPE	PIPE	WIDTH	HEIGHT
N TYPE	25NB	2.4M	1.16M
V TYPE	25NB	3.0M	1.16M
I MESH TYPE	25NB	3.6M	1.16M
BAR TYPE	25NB	4.2M	1.55M
	25NB	4.8M	1.55M



- THE FARM GATE IS MADE BY HOT DIP GALVANIZED PIPE AND WIRE. AND WIDELY USE THE RURAL AND FARM.

◆ CROWD BARRIER

- HOT DIP GALVANIZED AFTER WELDED



PIPE	SIZE
32MM	1.1MX1.5M
32MM	1.1MX2.1M
32MM	1.1MX2.5M

- OTHER SIZE AND TYPE CAN BE PRODUCED BY CUSTOMER REQUEST.



◆ MOBILE FENCE

- WELDED BY HOT DIP GALVANIZED PIPE AND MESH

PIPE	MESH	SIZE
38MM	200X75MM	1.75MX2.5M
38MM	200X75MM	2.00MX2.5M
38MM	200X75MM	2.20MX2.5M



STEEL BASE



CLIP



- OTHER SIZE AND TYPE CAN BE PRODUCED BY CUSTOMER REQUEST.



PANEL FENCE

3D PANEL.....	25-26
DOUBLE WIRE PANEL.....	27-28
DECO PANEL/TRITOP PANEL.....	29
SECURITY PANEL.....	30
SECURITY STRENGTHEN MESH.....	31
PALISADE FENCE.....	32
GRATING FENCE.....	33
RAIL FENCE.....	34
FENCE NET.....	35
FENCE PRIVACY SCREEN.....	36




◆ 3D PANEL



- THE WELDED PANEL IS WELDED BY GALVANIZED WIRE AND THE POWDER COATED.


ECO PANEL

HEIGHT (MM)	LENGTH (MM)	MESH (MM)	V NO
1030	2200	100×55×4.0	2
1230	2200	100×55×4.0	2
1530	2200	100×55×4.0	3
1730	2200	100×55×4.0	3
1930	2200	100×55×4.0	3




PROMO PANEL

HEIGHT (MM)	LENGTH (MM)	Mesh (MM)	V No
630	2000	200×55×4.0	2
1030	2000	200×55×4.0	2
1230	2000	200×55×4.0	2
1530	2000	200×55×4.0	3
1730	2000	200×55×4.0	3
1930	2000	200×55×4.0	3



STRONG PANEL


HEIGHT (MM)	LENGTH (MM)	Mesh (MM)	V No
630	2500	200×55×5.0	2
830	2500	200×55×5.0	2
1030	2500	200×55×5.0	2
1230	2500	200×55×5.0	2
1530	2500	200×55×5.0	3
1730	2500	200×55×5.0	3
1930	2500	200×55×5.0	3
2030	2500	200×55×5.0	4
2230	2500	200×55×5.0	4
2430	2500	200×55×5.0	4




- WITH TWO WIRES ON CURVE IS ALSO AVAILABLE TO PRODUCE.
- OTHER MODEL MAYBE PRODUCED BY CUSTOMERS' REQUEST.




◆ DOUBLE WIRE PANEL




- THE MESH APERTURE FOR THIS TWIN-WIRE TYPE OF WELDED MESH FENCE IS 200MM X 50MM. TWIN HORIZONTAL WIRES AT EACH INTERSECTION GIVE A RIGID BUT FLAT PROFILE TO THIS MESH FENCING SYSTEM, WITH VERTICAL WIRES AT 5 OR 6MM AND HORIZONTAL WIRES EITHER 6 OR 8MM DEPENDING ON THE HEIGHT OF THE MESH PANEL AND THE SITE APPLICATION.



8/6/8mm
6/5/6mm
6/6/6mm






HEIGHT (MM)	LENGTH (MM)	MESH (MM)	WIRE
630	2500	200×50	8/6/8
830	2500	200×50	8/6/8
1030	2500	200×50	8/6/8
1230	2500	200×50	8/6/8
1430	2500	200×50	8/6/8
1630	2500	200×50	8/6/8
1830	2500	200×50	8/6/8
2030	2500	200×50	8/6/8
2230	2500	200×50	8/6/8
2430	2500	200×50	8/6/8

HEIGHT (MM)	LENGTH (MM)	MESH (MM)	WIRE
630	2500	200×50	6/5/6
830	2500	200×50	6/5/6
1030	2500	200×50	6/5/6
1230	2500	200×50	6/5/6
1430	2500	200×50	6/5/6
1630	2500	200×50	6/5/6
1830	2500	200×50	6/5/6
2030	2500	200×50	6/5/6
2230	2500	200×50	6/5/6
2430	2500	200×50	6/5/6

• OTHER MODEL MAYBE PRODUCED BY CUSTOMERS' REQUEST.



◆ DECO PANEL



• TWO HORIZON WIRE TO STRENGTH THE FENCE



HEIGHT (MM)	LENGTH (MM)	MESH (MM)	WIRE (MM)
830	2000	200×50	6/6/6
1030	2000	200×50	6/6/6
1230	2000	200×50	6/6/6

• OTHER SIZE AND DESIGN CAN BE PRODUCE AS CUSTOMER REQUEST.

◆ TRITOP PANEL




HEIGHT (MM)	LENGTH (MM)	MESH (MM)	WIRE (MM)	V NO
800	2400	200×75	5	2
1000	2400	200×75	5	2
1200	2400	200×75	5	2
1400	2400	200×75	5	2
1600	2400	200×75	5	2
1800	2400	200×75	5	2
2100	2400	200×75	5	2

• FINISH: HOT DIP GALVANIZED
PRE GALVANIZED + POWDER COATED
• OTHER SIZE AND DESIGN CAN BE PRODUCE AS CUSTOMER REQUEST.



◆ SECURITY PANEL




- THIS MESH FENCING IS FOR HIGH SECURITY APPLICATIONS, THOUGH IS ALSO OFTEN USED FOR LOWER SECURITY APPLICATIONS FOR PEACE OF MIND. THE MESH USED IS A 75 X 12.5 X 4MM FABRIC (COMMONLY TERMED 358 MESH) AND THESE VERY SMALL APERTURES MEAN THAT IT IS NOT POSSIBLE FOR ANY WOULD-BE INTRUDER TO GET A FINGER OR TOE HOLD FOR CLIMBING, OR INDEED FOR GETTING A CUTTING TOOL INTO.

HEIGHT (MM)	LENGTH (MM)	MESH (MM)	HORIZONTAL WIRES(MM)	VERTICAL WIRES(MM)
1500	2500	12.7×76.2	4	4
1800	2500	12.7×76.2	4	4
2000	2500	12.7×76.2	4	4
2200	2500	12.7×76.2	4	4
2400	2200	12.7×76.2	4	4
2800	2200	12.7×76.2	4	4
3000	2200	12.7×76.2	4	4


WE ALSO CAN CUSTOMISE SHEET SIZE AND LAPPING ACCORDING TO CLIENTS' PARTICULAR NEEDS.

◆ SECURITY STRENGTHEN MESH







- STAINLESS STEEL 304 OR 316
- HOT DIP GALVANIZED WIRE
- OTHER SIZE CANBE PRODUCED WITH CUSTOMER REQUEST

MESH	WIDTH	LENGTH	PACKING	WIRE DIA
5X5MM	600MM	2000MM	PANEL	0.8MM 0.9MM 1.0MM
5X5MM	900MM	2000MM	PANEL	
5X5MM	1000MM	2000MM	PANEL	
5X5MM	1200MM	2000MM	PANEL	
5X5MM	600MM	25M OR 50M	ROLL	
5X5MM	900MM	25M OR 50M	ROLL	
5X5MM	1000MM	25M OR 50M	ROLL	
5X5MM	1200MM	25M OR 50M	ROLL	
12X12MM	2000MM	2000MM	PANEL	2MM 3MM
		2500MM	PANEL	4MM 5MM



◆ PALISADE FENCE

- PALISADE IS MORE SECURE THAN OTHER FENCING SYSTEMS SO WHEREVER SECURITY IS PRIORITY PALISADE IS USED IN VARIOUS COLORS TO BLEND WITH THE ENVIROMET.



- FINISH: 1. HOT DIPPED GALVANEED.
2. COLOR COATED IN A RANGE OF RAL COLOURS.

FENCE HEIGHT (MM)	PALE THICKNESS(MM)	HORIZONTAL RAIL ANGLE SIZE (MM)	I BEAM POST SIZE (MM)	LENGTH (MM)
1500	2.0-3.0	50×50×6	100×65×5.0MM	2400
1800	2.0-3.0	50×50×6	100×65×5.0MM	2400
2000	2.5-3.0	50×50×6	100×65×5.0MM	2625
2100	2.5-3.0	50×50×6	100×65×5.0MM	2725
2400	2.5-3.0	50×50×6	100×65×5.0MM	3125
3000	2.5-3.0	50×50×6	100×65×5.0MM	3925



◆ GRATING FENCE




- STEEL GRATING FENCE IS MADE BY WELDING WITH FLAT STEEL AND BARS WITH CERTAIN DISTANCES. IT GOES THROUGH CUTTING, OPENING, EDGING AND OTHER PROCESSES. THE PRODUCTS ENJOY THE FEATURE OF HIGH STRENGTH, LIGHT STRUCTURE, HIGH BEARING, CONVENIENCE FOR LOADING AND OTHER PROPERTIER. THE HOT DIPPED ZINC COATING GIVES THE PRODUCT EXCELLENT ANTI-CORROSION.
- MATERIAL: HIGH QUALITY LOW CARBON STEEL, STAINLESS STEEL 304 OR 316
- TYPES: PLAIN BAR AS STANDARD.
- FINISHES: ELECTRO GALV, HOT DIPPED GALV, POWDER COATED, ACCORDING TO THE DIFFERENCE SURFACE TREATMENT.

TYPE	SQUARE HOLE (MM)	BEARING BAR (MM)	HEIGHT (MM)	COLUMN (MM)	SPACING (MM)
	60 X 130	#30 X 4	930	#80X 8	2000
	60 X 130	#30 X 4	1326	#80X 8	2000
	60 X 130	#30 X 4	1722	#80X 8	2000
	60 X 130	#30 X 4	2118	#80X 8	2000
	60 X 130	#30 X 4	2514	#80X 8	2000


◆ RAIL FENCE



RAIL FENCE



BARB RAIL FENCE



ARC RAIL FENCE

- DIMENSION
1.0MX2.0M
1.2MX2.0M
1.5MX2.0M
1.8MX2.0M
2.0MX2.0M
- OTHER SIZE CAN BE RPRODUCED AS CUSTOMER REQUEST
- PRE GALVANIZED+POWDER COATED
- HOT DIP GALVANIZED AFTER

◆ FENCE NET



- FENCE SCREEN ARE IDEAL FOR RESIDENTIAL FENCE, COMMERCIAL FENCE,NURSERIES,GARDENS, CONSTRUCTION SITES,BACKYARDS AND LANDSCAPING.



FENCE CLIPS

MATERIAL	HIGH DENSITY POLYETHYLENE
COLOR	DARK GREEN,BLUE,GREEN
WEIGHT	FROM80G/SM TO 300G/SM
SHADE FACTOR	FROM 80% TO 95%
UV	3%
WIDTH	0.5M-4M
LENGTH	5M-200M

◆ FENCE PRIVACY SCREEN

- THE FENCE PANEL PRIVACY SCREEN IS MADE FROM VERY HIGH-QUALITY PVC OR TEXTILENE, THE STRIPS ARE FOR DURABILITY AND UV STABIL. FERTIG THE PRE-ASSEMBLED STRIP IS SIMPLY WOVEN IN THE STEEL GRIDS AND JAMMED BEHIND THE FLAP OF THE FENCE POSTS. IT'S EASY TO INSTALL AND DISASSEMBLY



TEXTILENE STRIP




PVC STRIPS



CLIPS



MATERIAL	WIDTH(MM)	LENGTH(M)	COLOR
HIGH GRADE PVC	45	30	RAL 6005
	95	70	RAL 7016
	190	2.55	RAL 7030
		2.05	RAL 9010
			STONE PRINTED
TEXTILENE	95	30	BROWN
	190	70	GREY
		2.55	GRID
		2.05	



POST AND ACCESSORIES

EURO PIPE POST/EURO BRACE POST.....	38
SQUARE POST AND RECTANGLE POST.....	39
T POST AND L POST.....	40
STUDDED T POST U POST.....	41
MULTI POST/VINEYARD POST.....	42
Y POST.....	43
ACCESSORIES.....	44-46
TENSION WIRE/FENCE KIT/FENCE STAPLE.....	47
TENSION BAR/WIRE STRAINER.....	48
C RING GABION TOOLS/CAGE TOOLS AND CLIPS.....	49
D RING AND PITER/EARTH AUGER.....	50
HOG RING PILER/U STAPLE.....	51

◆ EURO PIPE POST



- MADE OF CIRCULAR TUBE, GALVANIZED PIPE AND THEN POWDER COATED IN GREEN RAL6005.
- EURO PIPE POST WITH HOLDER OR WITHOUT HOLDER DEPEND ON CUSTOMERS' PACKING REQUEST.
- PACKING: IN CARTON OR ON PALLET



DIAMETER	WALL THICKNESS	LENGTH	WIRE HOLDER
		900MM	2
		1250MM	3
32MM	1.25MM	1500MM	3
34MM		1750MM	3
38MM	1.5MM	2000MM	3
40MM		2250MM	4
48MM		2500MM	4



◆ EURO BRACE POST



- MADE OF CIRCULAR STEEL TUBE. GALVANIZED PIPE AND THEN POWDER COATED IN GREEN RAL6005.
- PACKING: IN CARTON OR ON PALLET

DIAMETER (MM)	WALL THICKNESS (MM)	LENGTH (MM)
32		900MM
		1250MM
34	1.25MM	1500MM
		1750MM
38	1.5MM	2000MM
		2250MM
40		2500MM



◆ SQUARE POST AND RECTANGLE POST



- FINISHED AVAILABLE
- 1. HOT DIPPED GALVANISED
- 2. GALVANISED & POLYESTER POWDER COATED IN AN EXTENSIVE RANGE OF RAL COLOURS

SIZE	WALL THICKNESS	LENGTH
60X60MM		1.2M
		1.5M
60X40MM	1.3MM	1.8M
		2.0M
50X50MM	1.5MM	2.25M
		2.5M
		2.6M



AVAILABLE SIZE
50X50MM
60X40MM
60X60MM



	AVAILABLE SIZE
CORNER CLAMP	50X50MM
MIDDLE CLAMP	60X40MM
EDGE CLAMP	60X60MM



AVAILABLE SIZE
60X40MM

◆ T POST AND L POST




- EUROTYPET /L POST
- FINISHED AVAILABLE:HOT-DIP GALV.

POLYESTER POWDER COATED

T-POST



LENGTH(CM)	SIZE(MM)
750	30×30×3.0
100	30×30×3.0
120	30×30×3.0
145	30×30×3.0
175	30×30×3.0
200	30×30×3.0
225	30×30×3.5
250	30×30×3.5



TOP

TOP FIX BARB WIRE CAN BE PROWED BY CUSTOMER REQUEST.


L-POST



LENGTH(CM)	SIZE(MM)
100	25×25×3.0
120	25×25×3.0
150	25×25×3.0
175	25×25×3.0
200	25×25×3.0
225	25×25×3.0



◆ STUDDED T POST AND U POST



- USED FOR FENCING OF FARM,GARDEN, COMMERCIAL AND INDUSTRIAL SITES
- MADE OF RAIL STEEL
- WITH A RUGGED ANCHOR PLATE LOCKS, WHICH MAKES THE T POST FIRMER AND SUITABLE FOR ANY TYPE OF SOIL.
- WEATHER RESISTANT BY GREEN POWDER-COATING OR GREEN PAINTING.
- OTHER COLOR UPON REQUEST.

DESCRIPTION	LENGTH	PACKING
HEAVY DUTY, 1.33 POUNDS/FOOT	5 FEET	200 PIECES PER PALLET
	5.5 FEET	
MEDIUM DUTY, 1.25 POUNDS/FOOT	6 FEET	
	6.5 FEET	
LIGHT DUTY, 0.95 POUNDS/FOOT	7 FEET	
	8 FEET	



T POST CLIPS

T POST

- GREEN POLY-COATED FOR DURABILITY.
- POSTS CAN BE BOLTED TOGETHER FOR EXTRA SUPPORT
SPECIAL CHANNEL CONSTRUCTION FOR MAXIMUM STRENGTH

DESCRIPTION	LENGTH	PACKING
LIGHT DUTY U FENCE POST, POLY GREEN	3, 4, 5, 6 FEET	10PCS/BUNDLE, 200PCS/PALLET
HEAY DUTY U FENCE POST, POLY GREEN	5, 6, 7, 8 FEET	5PCS/BUNDLE, 100PCS/PALLET

U POST


◆ MULTI POST




DIA./LENGTH	PCS/BUNDLE
Ø8x1100 MM	25 PCS
Ø10x1100 MM	10 PCS
Ø10x1450 MM	10 PCS

- THE POSTS ARE MADE OF CONCRETE REINFORCEMENT RODS OF VARIOUS THICKNESSES, COATED WITH GREEN PRIMER AND EQUIPPED WITH A GREEN INSULATOR WIRE HOOK.
- COLORS RAL6005 (GREEN) AND RAL9010 (WHITE) ARE BOTH AVAILABLE.

◆ VINEYARD POST



- IT'S MADE BY ZINC PLATE SHEET, AND WIDELY USED IN VINEYARD
- PACKING : 200PCS/PALLET



THICKNESS	ZINC COATING	LENGTH	PACKING
1.2MM-1.5MM	60G-240G	1.0M-5.8M	ON PALLET



◆ Y POST

- STEEL Y POSTS ARE MADE FROM HIGH-CARBON TENSILE STEEL FOR STRENGTH WHICH IS THEN HOT DIPPED IN BLACK BITUMEN FOR DURABILITY. THE PRE-DRILLED HOLES ON THE POST ALLOW EASY ATTACHMENT OF WIRE AND PRE-FABRICATED FENCING MATERIALS. STEEL Y POSTS ARE COMMONLY USED IN TEMPORARY FENCING AS THEY GO UP FAST, PROVIDING A QUICK BUT STRONG SECURITY BARRIER AROUND CONSTRUCTION SITES. STEEL Y POSTS PROVIDE A COST EFFECTIVE ALTERNATIVE TO TIMBER POSTS.
- HEAVY DUTY 2.04KG/M
COMMERCIAL DUTY 1.90KG/M
LIGHT DUTY 1.58KG/M
400PCS/PALLET
- FINISH: HOT DIP GALVANIZED
BLACK COATED




SAFETY CAPS




THE HEIGHT
45CM
60CM
90CM
120CM
135CM
150CM
165CM
180CM
210CM
245CM

FENCE POSTS HOLE SPACINGS CHART



	METAL BASE 38MM		METAL BASE 60X40MM 60X60MM		ALU CAP 34MM 42MM 48MM
	ALUMINUM D POST BASE 48MM		METALBASE 60X40MM		D POST CAP 48MM
	METAL ROUND POST BASE 38MM		BRACE BASE 34MM		D POST RING 48MM
	D POST BASE 48MM		BRACE BASE 34MM		POST CAP 32MM 34MM 38MM 42MM 48MM 60MM 60X60MM 40X40MM
	RECTANGLE BASE 60X40MM 60X60MM		BRACE CAP 34MM 38MM 42MM 48MM 60MM		BRACE CAP 34MM 38MM 42MM 48MM
	POST BASE 38MM 34MM		BRACE CAP 38MM 48MM		PLASTIC CLIP 34MM 38MM 42MM 48MM

	METAL ROUND RING 32MM 34MM 38MM 40MM 48MM 60MM		METAL CLAMP 40X60MM		EYE BOLT M8 M6
	STRETCHING BAR CLIP 34MM 40MM 48MM 60MM		U CLAMPES M8 M6		EYE TURNBUCKLES M8 M6
	BRACKET 32MM 34MM 38MM 40MM 50MM 60MM		METAL RING CORNER 40X60MM 60X60MM		HOOK EYE TURNBUCKLES
	WIRE HOLDER		METAL RING EDGE 40X60MM 60X60MM		HOOK M6
	WIRE J CLIP		METAL RING MIDDLE 40X60MM 60X60MM		M CLIP
	CLAMP BAR 40MM		J CLIPS M8 M6		POST M FIXER 40X40MM

 LAAC-0037	POST FIXER 40X40MM	 LAAC-0043	METAL FIXER	 LAAC-0049	ALU CONNECTOR 48MM+40MM 60MM+40MM
 LAAC-0038	PLASTIC FIXER 40X40MM	 LAAC-0044	POST FIXER	 LAAC-0050	ALU CONNECTOR 40MM+40MM
 LAAC-0039	SCREW FIXER	 LAAC-0045	SELF BREAK NUT	 LAAC-0051	THREE WAY RINGS
 LAAC-0040	METAL ROUND RING	 LAAC-0046	SPRING RING	 LAAC-0052	PANEL WALL FIXER
 LAAC-0041	POST FLAT FIXER	 LAAC-0047	J FIXER	 LAAC-0053	EDGE FIXER
 LAAC-0042	PLASTIC FIXER	 LAAC-0048	ROUND STEEL 30MM	 LAAC-0054	PANEL FIXER

◆ TENSION WIRE



- GALVANIZED TENSION WIRE
2.0MMX50M
2.5MMX50M
2.7MMX50M
3.0MMX50M
- IN CARTON PACKING
- PVC COATED TENSION WIRE
1.5/2.4MMX50M
1.7/2.7MMX50M
2.0/3.0MMX50M
2.5/3.5MMX50M
- IN CARTON PACKING



◆ FENCE KIT

SHRINK PLASTIC WITH COLOR LABEL AND THEN CARTON PACKING,
THEN ON PALLET.
OR TIE TOGETHER WITH ONE ROLL FENCE, THEN ON PALLET TOGETHER.

- KIT 1: TENSION WIRE 1.7/2.7MMX100M 1 PCS
BINDING WIRE 1.0/1.5MMX30M 1 PCS
GREEN WIRE STRAINER NO.2 8 PCS
- KIT 2: TENSION WIRE 1.4/2.4MMX51M 1 PCS
BINDING WIRE 1.0/1.5MMX15M 1 PCS
GREEN WIRE STRAINER NO.2 4 PCS



◆ FENCE STAPLE



BARB STAPLES



STAPLES

GENERALLY USED FOR
ATTACHING WOVEN WIRE
FENCE, WELDED FENCE
AND BARBED TO WOODEN
FENCE POSTS. ATTACHING
POULTRY NET FENCING TO
WOOD.

LENGTH (MM)	GAUGE (MM)	INCHXGAUGE
15	1.6	5/8X16
20	2	3/4X14
20	2.65	3/4X12
25	2.65	1X12
30	3.75	1-1/4X9
30	4	1-1/4X8
40	4	1-1/2X8
50	4	2X8
50	5	2X6

◆ TENSION BAR

ROUND TENSION BAR



SIZE	
6×850MM	8×1550MM
6×1050MM	8×1800MM
6×1300MM	8×2000MM
6×1550MM	8×2400MM
6×1800MM	8×2700MM
6×2050MM	8×3000MM

FLAT TENSION STEEL



SIZE
20×1000MM
20×1200MM
20×1500MM
20×1800MM
20×2000MM
20×2200MM

PACKING:10 PCS/BUNDLE,THEN ON PALLET.

FINISH: GREEN POWDER COATED GALVANIZED

◆ WIRE TENSIONER

ENSURE THE TENSION OF THE WIRES WHEN ERECTING FENCES



OTHER AVAILABLE TYPE STRAINER MAYBE PRODUCED BY CUSTOMERS' REQUEST.



STANDARD SIZE

SIZE	FINISH	PCS/CTN
NO.2	PLASTIC COATED	100PCS
NO.3	HOT DIPPED GALV.	100PCS
NO.4	ELECTRIC GALV.	50PCS

LAWT 0001	LAWT 0002	LAWT 0003	LAWT 0004
LAWT 0005	LAWT 0006	LAWT 0007	LAWT 0008

◆ C RING GABION TOOLS



AUTOMATIC TOOLS



HAND TOOLS

NETTING CLIP PLIER
PACKING: ONE PCS ONE BLISTER
CLIP: RING CLIPS 16MM AND 19MM



◆ CAGE TOOLS AND CLIPS



TOOL				
M65	4.8	12.7	CL-23	CL-73
		15.5	CL-24	CL-74
M66	6.2	12.3	CL-3	CL-71
		14.1	CL-4	CL-72
M85	6.8	17.1	CL-34	
M85S	6.8	18.5		CL-75
	7	18.2	CL-36	
TOOL				
M45	4.8	12	CL-13	
		9.9	CL-15	
		12.7	CL-14	
M46	6.2	15	CL-16	
		13.3	CL-18	




◆ D RING AND PITER



ITEM	MATERIAL	PACKING
SR-8	40G ZINC	2500PCS/BOX
SR-8	SS 304	2500PCS/BOX

◆ EARTH AUGER



GROUND ANCHOR



GROUND DIGGER



GARDEN CLAW

	LENGTH(MM)	WIDTH(MM)	DEPTH(MM)
	850	100	235
	1150	100	200

◆ HOG RING PILER

OUR PLIERS ARE SPECIAL FOR FENCE.


HOG RING PILER CAN BE USED TO BARB WIRE FIX, RAZOR WIRE FIX AND CHAIN LINK FENCE FIX,EUROFENCE FIX.

C CLIP PILER CAN BE USED TO EUROFENCE FIX ON D POST OR BABION BOX FIX.

NETTING CLIP PILER CAN BE USED TO FIX THE DECO GABIONS,HEX NETTING, WELDED NETTING AND OTHERS DIY CAGE MADE



HOG RING PILER
PACKING: ONE PCS ONE BLISTER
FENCE STAPLE: OMEGA 16 AND OMEGA 20



FENCEMATE HOG RING STAPLE




HOG RING PILER WITH LOADER
PACKING: ONE PCS ONE BLISTER
FENCE STAPLE: OMEGA 20



HOG RING	FINISHED	PACKING
OMEGA 16	GALVANIZED	1000PCS/BLISTER
OMEGA 16	GREEN	OR 1000PCS PER
OMEGA 20	GALVANIZED	BOX AND THEN
OMEGA 20	GREEN	PUT INTO CARTON




C CLIP PILER
PACKING: ONE PCS ONE BLISTER
CLIP: STAINLESS STEEL C CLIP



STAINLESS STEEL C CLIP
PACKING: 100PCS PER BLISTER
100 PCS PER BAG

◆ U STAPLE



ITEM DESCRIPTION	MATERIAL	CROWN (MM)	WIRE DIAMETER Φ	LEG LENGTH	PCS/LINE STRIP	STRIPS/PLASTIC BOX PLASTIC BOX	PCS/PLASTIC BOX
FENCE STAPLE	GALFAN MATERIAL	12.2	10 1/2 GA	40MM	26	81	2100






MESH FENCE



EURO FENCE.....	53-54
BORDER FENCE.....	55
CHAIN LINK FENCE.....	56
CATTLE FENCE.....	57
WELDED RAZOR WIRE PANEL/GABION STONE WAL.....	58-59
SAFETY FENCE.....	60-61



◆ EURO FENCE





- WIDELY USE FOR PRIVATE RESIDENCES, PARKS AND GARDENS
- ELECTRO WELDED MESH AND THEN PLASTIC COATED ON GALVANIZED WIRE
- PVC COATED, COLOR CAN BE AVAILABLE

PLUS FENCE	STRONG FENCE	CLASSICAL FENCE
MESH 100×50MM	MESH 100×50MM	MESH 100×50MM
WIRE 1.7/2.1MM	WIRE 2.0/2.5MM	WIRE 1.7/2.1MM
		

LIGHT FENCE	PROMO FENCE
MESH 100×75MM	MESH 100×100MM
WIRE 1.7/2.1MM	WIRE 1.7/2.1MM
	

ECO FENCE	FORTI FENCE MEDIUM
MESH 76×63MM	MESH 50×60MM
WIRE 1.7/2.1MM	WIRE 2.0/2.5MM
	



FORTI FENCE STRONG	BARB FENCE
MESH 50×60MM	MESH 50×50MM
WIRE 2.5/3.0MM	WIRE 2.0/2.5MM
	




AVAILABLE DIMENSION

HEIGHT	LENGTH
0.6-2.0M	5M, 10M, 25M

• PACKING: SHRINK THE PLASTIC BAG BULK LOAD OR PALLET PACKING

◆ BORDER FENCE



- WOVEN FENCE WITH SCROLLED TOP FOR DECORATION, PLASTIC COATED ON GALVANIZED WIRE.
- CORRUGATED VERTICAL WIRES FOR DECORATION.
- MESH SIZE: 15X9CM
- VERTICAL WIRE: 2.4MM
- HORIZONTAL WIRE: 3.0MM



HEIGHT	LENGTH
25CM	10M
40CM	10M/25M
65CM	10M/25M
90CM	10M/25M
120CM	10M/25M



◆ CHAIN LINK FENCE .



- CHAIN LINK FENCE IS PRODUCED WITH QUALITY GALVANIZED WIRE OR PLASTIC COATED WIRE AND NORMALLY USED FOR PROTECTION, SECURITY AND LASTING FENCING.

GALVANIZED CHAIN LINK FENCE

MESH	WIDTH	WIRE GAUGE
3/4"	20MM	BWG15, 16
1"	25MM	BWG14,15,16
1-1/2"	40MM	BWG9,10,11,12,14
2"	50MM	BWG8,9,10,11,12,13,14
2-1/2"	60MM	BWG8,9,10,11,12,13,14
3"	75MM	BWG8,9,10,11,12,13,14



PLASTIC COATED CHAIN LINK FENCE


MESH	WIRE GAUGE
50X50MM	1.8/2.8MM,2.0/3.0MM,2.5/3.5MM
60X60MM	1.8/2.8MM,2.0/3.0MM,2.5/3.5MM
75X75MM	1.8/2.8MM,2.0/3.0MM,2.5/3.5MM



- PACKING:IN ROLLS,SPECIAL PACKING MAY BE ARRANGED UPON REQUEST


WIDTH	LENGTH
0.5-3M	10-25M

- REMARK: SIZES OTHER THAN
- THOSE ABOVE MENTIONED MAY BE MADE TO ORDER AFTER CONSIDERATION




◆ CATTLE FENCE .

- CATTLE FENCE IS SUITABLE FOR BORDERS IN FIELDS AND GRASSLAND FOR BREEDING OF DEER, CATTLE AND OTHER ANIMALS.
- EDGE WIRE 2.4MM, INSIDE WIRE 1.90MM
- HORIZONTAL WIRE 700-800MPA
- VERTICAL WIRE 400-500MPA
- TWO HORIZON WIRE DISTANCE 300MM IS ALSO AVAILABLE



◆ WELDED FIELD FENCE



◆ GABION STONE WALL

- GABIONS ARE STONE FILLED WIRE CAGES, WHICH ARE USED IN LANDSCAPING AS A RETAINING WALL TO RETAIN OR PROTECT SLOPES FROM EROSION E.G. ALONG RIVER BANKS. THIS NEW GABIONS MADE OF WELDED MESH PANELS ARE EASY FOR ASSEMBLING AND IS IDEALLY USED AS DECORATION WALLS IN THE GARDENS. ONE COMPARTMENT SET INCLUDES 6PCS MESH SHEET AND 12PCS SPIRALS. ADDITIONAL STRENGTHENING WIRE HOOKS ARE INCLUDED FOR BIG SIZES.
- MESH SIZES AVAILABLE: 50×50MM, 75×75MM, 100×50MM

LENGTH(CM)	WIDTH(CM)	HEIGHT(CM)
30	30	30
60	30	30
60	60	60
90	60	60
50	50	50
100	50	50
150	50	50
200	50	50



- STRENGTH HOOK
- TO MAKE THE GABIONS MORE SOLIDITY
- FINISH: HOT DIP GALVANIZED
- SIZE: 4.0MMX15MM 4.0MMX30MM 4.0MMX50MM
- PACKING: 10PCS/BUNDLE
- FIX RING TO FIX TWO NEIGHBOURING WELDED PANEL.
- FINISH: HOT DIP GALVANIZED
- DIA: 3.0MM 4.0MM



- NETTING CLIP AND PLIER



19MM


- OTHER SIZE CAN BE PRODUCE BY CUSTOMER REQUEST.

◆ SAFETY FENCE

- THESE PRODUCTS ARE USED AS SAFETY FENCING OR WARNING BARRIER FOR CONSTRUCTION SITES, AND THEY ARE ALSO USED AS SNOW FENCING. THE MOST POPULAR COLOR IS ORANGE.
- FEATURES: MANUFACTURED FROM PE U.V. STABILIZED WITH THE RECTANGULAR MESH TYPE. RE-USEABLE USUALLY PACKED IN ROLLS IN PLASTIC FILM BAGS WITH LABELS INSIDE, AND LOOSELY LOADED INTO THE CONTAINER CAN BE MANUFACTURED IN ANY HEIGHT FROM 1 MTRS TO 1.9MTRS
- WE ALSO CAN PRODUCE OTHER SIZE AS PER CUSTOMER'S REQUIREMENTS.



SR SERIES




SR SERIES SMALL HOLE



ITEM	MESH SIZE (MM)	WEIGHT (G/M ²)	SIZE
LASR100-07040	70X40	100	1MX50M
LASR160-07040	70X40	160	4'X100'
LASR230-07040	70X40	230	4'X100'

- OTHER SIZE CAN BE PRODUCE BY CUSTOMER REQUEST.

SR SERIES BIG HOLE



ITEM	MESH SIZE (MM)	WEIGHT (G/M ²)	SIZE
SR120-08065	80X65	120	1MX50M
SR120-10070	100X70	120	4'X100'
SR140-08065	80X65	140	1MX50M
SR140-10070	100X70	140	4'X100'
SR160-08065	80X65	160	1MX50M
SR160-010070	100X70	160	4'X100'

WIND BREAK FENCE



ITEM	MESH SIZE (MM)	WEIGHT (G/M ²)	SIZE
LAWB320-02016	20X16	320	1MX50M
LAWB300-01006	10X6	300	1MX50M


STEEL STAKE FOR SAFTY FENCE

DIAMETER(MM)	MESH SIZE (MM)
12	1100
12	1300
12	1500

- OTHER SIZE CAN BE PRODUCED AS CUSTOMER REQUEST



BR SERIES



ITEM	MESH SIZE (MM)	WEIGHT (G/M ²)	SIZE
LABR080-10040	100X40	80	4'X100'
LABR100-10040	100X40	100	
LABR120-08040	80X40	120	
LABR140-08040	80X40	140	
LABR160-08040	80X40	160	
LABR200-08040	80X40	200	
LABR080-10026	100X26	80	1MX50M
LABR100-09026	90X26	100	
LABR160-07026	70X26	160	
LABR280-08026	80X26	280	
LABR260-06040	60X40	260	

- OTHER SIZE CAN BE PRODUCE BY CUSTOMER REQUEST.






ANCHOR


CONCRETE POLE ANCHOR/GROUND PLUG/U/L SUPPORT.....	63
INTERNAL SUPPORT/GROUND SOCKET/H SUPPORT.....	64
TT SUPPORT/ADJUSTABLE POLE ANCHOR/POST GROUND SUPPORT/ ROUND POST SUPPORT.....	65
POLE TOP/SCREW POLE ANCHOR/WOOD PILLAR/BICYCLE STAND/ CITY STAND/POST DRIVER.....	66

◆ CONCRETE POLE ANCHOR




SIZE(MM)			THICKNESS OF PLATE
A	B	C	
71X71	350	200	2MM
91X91	350	200	2MM
101X101	350	200	2MM

◆ GROUND PLUG




SIZE(MM)			THICKNESS OF PLATE
A	B	C	
61X61	750	600	2MM
71X71	750	600	2MM
71X71	900	750	2MM
91X91	750	600	2MM
91X91	900	750	2MM
101X101	900	750	2.5MM
121X121	900	750	2.5MM
51X51	600	450	2MM
51X51	650	500	2MM
51X102	750	600	2MM
77X77	750	600	2MM
102X102	750	600	2MM

◆ U/L SUPPORT




TYPE	SIZE(MM)				
	A	B	C	D	E
U	60	60	120	4	16X200
U	60	60	120	4	16X200
U	80	60	120	5	16X200
U	60	60	120	5	16X200
U	100	60	120	5	16X200
U	120	60	120	5	16X200
L	80	90	130	5	16X200

◆ INTERNAL SUPPORT




◆ GROUND SOCKET



◆ H SUPPORT


SIZE(MM)			THICKNESS OF PLATE
A	B	C	
71	600	60	6MM
81	600	60	6MM
91	600	60	6MM
101	600	60	6MM
121	600	60	6MM
141	600	60	6MM




◆ TT SUPPORT




◆ ADJUSTABLE POLE ANCHOR



◆ POST GROUND SUPPORT



◆ ROUND POST SUPPORT



◆ POLE TOP




ITEM	SIZE(MM)	THICKNESS(MM)
COPPER	91MM GOAL	0.8MM
STAINLESS STEEL	71MM GOAL	1.0MM
SQUARE CROWN	91X91MM	1.2MM
ACUATE CROWN	71X71MM	1.5MM

◆ SCREW POLE ANCHOR



- HOT DIP GALVANIZED AFTER
- DIAMETER ADJUST RINGS: 26, 36, 42, 50, 55 MM
- LENGTH 565 MM • OUTSIDE DIA 68 MM
- INNER DIA 64 MM,

INCLUDE	PACKING
1 x SCREW ANCHOR	2PCS / CARTON
5 x DIAMETER RINGS	4PCS / CARTON
1 x HAND BAR	
1 x FASTEN SCREW	



◆ WOOD PILLAR



◆ BICYCLE STAND



◆ CITY STAND



◆ POST DRIVER



MEMO